



Veterinary Products and Equipment



ABOUT US

HealthPro is a leading provider of Dental, Laboratory, Diagnostics Centers, Gynecology Clinics, ENT, Physiotherapy, Infection Control, Medical and Veterinary technological products and services.

Healthpro specializes in providing the above professionals with a full range of technology solutions including as well as materials and after sales support.

Healthpro focuses on providing technological solutions exclusively to the healthcare market. As a result, we are well experienced in working with healthcare professionals as well as with the numerous healthcare specific technologies and applications.

HealthPro's Departments:

Dental
Dental Technician
Laboatory
Diagnostics Centers
Gynecology
ENT
Physiotherapy
Infection Control
Medical
Veterinary

Healthpro History

HealthPro is able to claim that it has have been serving the technological needs of the healthcare community since 2000. During this time we've experienced the complexity of today's healthcare technology first hand and have developed solutions to help ease the frustration experienced by many healthcare professionals through the implementation and management of these technologies.

Healthpro Experience

Innovation in healthcare technology ranging from digital x-ray and imaging to computerized charting, treatment management, and record keeping continue to increase the need for cost effective and competent technology resources. Our team of experienced consultants and implementation specialists can provide your practice with just those resources. Our unique technological concepts ensure that our customers are matched with the right equipment, training, and support to effectively use their technology to enhance the patient experience and patient care.

Healthpro Mission

Healthpro's mission is to provide it's customers with the correct technology and support to continually improve it's proficiency in a cost effective manner.



HealthPro

Supply Equipment & Products to:

Dentists
Laboratories
Diagnostics
Veterinary Clinics
Medical
Gynecologists
ENT
Physiotherapists

Brands:



Heraeus Kulzer
Mitsui Chemicals Group



Dentalcon

Technical & Maintenance:

Medical Gases
Quality Control of Medical and Industrial Gases
Breathing Air
Testing of the Ventilation System to HTM 2025
Hepa Filter Testing
Microbiological Safety Cabinets / Fume Cupboards
Sterilizers
Instrument Washer Disinfectors
Ultrasonic Cleaner
Endoscope Washer

Brands:



Multiwell

Supply Equipment & Products to:

Plastic Surgeons
Dermatologists
Podiatrists

Brands:



Namento

Supply Equipment & Products to:

Beauticians
Spa

Brands:



Orphanos Group HQ

Leontiou A' 183, Leontiou Center Block C 3020 Limassol – Cyprus

Tel: +357 25 877 240 Fax: +357 25 877 247

info@orphanosgroup.net

www.orphanosgroup.net

BODE-CHEMIE

Sterilisation & Infection Prevention



Manufacturing more than 400 products at its Hamburg-Stellingen site in Germany, BODE Chemie is one of Europe's leading suppliers in the fields of disinfection, cleaning, skin care and skin antiseptics. The high-performance hand disinfectants are only one highlight in BODE's comprehensive range of products, which are used in more than 50 countries around the globe.



Cutasept® F
Colourless skin antiseptic with rapid and comprehensive effect.



Korsolex® plus
Aldehyde-free instrument disinfectant for heat-sensitive and heat-resistant instruments with powerful cleaning effect.



Sterillium®
The classic among rub-in hand disinfectants for hygienic and surgical hand disinfection.



Baktolin® pure
Standard wash lotion for the thorough hand cleansing. Colourant- and fragrance-free



Bacillol® Tissues
Alcohol-based rapid disinfection wipes in the practical dispenser with extensive spectrum of efficacy.



Bacillol® AF
Alcohol-based rapid disinfectant with extensive spectrum of activity. Dries without leaving residues.



Disinfection Box
Accessories for instrument disinfection.



Baktolin® pure
Standard wash lotion for the thorough hand cleansing. Colourant- and fragrance-free

DISPOSABLE PRODUCTS



Medical Gloves



Rolls



Masks



Disinfection Rolls



Sterilization Pouches



Water Distiller



Thermosealer



Ultrasonic Cleaner

EcoRay RAD. Series

A total Solution set to suit your particular
needs in Vet Radiology!!

EcoRay provides full range of x-ray solutions for veterinarians

HF-525 Plus VET DR

Digital vet X-Ray system with Flat Panel Detector

Power with quality (125kV / 320mA output)

Aquisition software EcoView™

17" x 17" Flat Panel Detector

Pedestal 4 way top floating table

Space saving design

Productivity enhance, easy to use

Workstation for easy DB management

DICOM compatible

HF Generator supported by PSU(option)

12" Touch Screen OP Console with preview image



HF-525 Plus VET

Conventional X-Ray system

Power with quality (125kV / 320mA output)

Pedestal 4 way top floating table

Compact size

Friendly use interface

Anatomically programmed console

HF Generator supported by PSU(option)



OP Console



Trust begins with
ECORAY

EcoRay RAD. Series

A total Solution set to suit your particular needs in Vet Radiology!!



17"x17" FPD

Workstation

Specification

Customized system to your radiographic and budgetary need.

1.X-ray Generator & High Voltage Transformer

- 32kW High frequency inverter x-ray generator (40kW/50kW also available as optional)
- Output Frequency: 200kHz
- KV range (1 kV step): 40kV – 125kV
- mA Range: 10 – 320mA
- mAs Range: 0.5 – 500mAs
- Line Voltage (phase): 220VAC 50/60Hz Single Phase
- Exposure Time Range: 0.001 – 6 seconds (81 steps)

2.X-ray Tube

- Anode heating unit: 140kHU standard (300kHU also available as optional)
- Focal spot: 1.0/2.0mm (0.6/1.2mm also available as optional)
- Target Angle: 16° (12° also available as optional)

3.Table

- Wide 4-way floating top bucky table
- Size: 845mmx1552mm
- Height: 900mm, Longitudinal travel: ± 125 mm, Transverse travel: ± 125 mm
- SID: 1,000mm fixed

EcoView™ for Digital Images

Digital Imaging Solution with Flat Panel Detector

Pre-processing (imaging)

- Fixed enhancement LUT (Lookup Table)
- Auto-Analysis Flexible LUT
- Various Contrast Equalization
- Auto Windowing, Noise reduction, Background filtering

Post-processing(imaging)

- Contrast & Edge Enhancement, Latitude Enhancement
- Smoothing, Image frequency filter

Database of local information

- Study information storage and management
- Image store and management
- Control, modify & searching DB

Others

- PatientCD with image viewer & export files(JPG, BMP, PNG formats)
- Emailing and store log at emergency
- Add acquisition images, re-acquisition images
- Merge & separate studies or images



EcoRay Co., LTD.

3F TaeSeung B/D, 536 Eonju-ro, Gangnam-gu, Seoul, KOREA 135-917

Factory at 521-14, Dochun-dong, Gwangsan-gu, Gwangju, KOREA 506-301

Tel) +82 70 7510 3400 Fax) +82 70 8630 3420

ECOVIEV PORTABLE DR



Developed specially for veterinarians
Quick transportation, **Easy** set up
Valuable diagnostic image & information

Ecoview Software

- High resolution image capture
- Sharpening
- DICOM storage SCU with commitment
- Optional DICOM modality worklist SCU and SCP
- Tissue equalization
- Auto crop and Auto-shutter



Flat Panel Detector

- TFT-amorphous silicon
- Detecting Area : 10" x 12"
- Pixel Size : 127 μm x 127 μm
- Resolution : 2,560 x 2,080
- Image acquisition time : 2.5 sec
- Weight : 3.4 kg
- Control Power Box



Wireless Detector



- TFT-amorphous silicon
- Detecting Area : 10" x 12"
- Pixel Size : 127 μm x 127 μm
- Resolution : 2,560 x 2,080
- Image acquisition time : < 2.0 sec
- Wireless Wi-Fi 802.11 a/g/n
- Peak rate 300Mbps
- Battery capacity up to 600 images
- Charge Time 2.5 hrs
- Battery voltage 12.5 DVC



Devotion for worldwide healthcare

ECORAY

ECOVIEW PORTABLE DR



Bluetooth available

Battery Type
Portable
coming soon

Orange 9020HF

Power (Max)	1.35kW @ 90kV 15mA
Focal spot	1.2 X 1.2 mm
Tube type	C.E.I.
HF	65kHz
Filtration total	2.5mmAl
Actual KV output @ different setting	+/- 3%
Max mAs	30 mAs
Max kV	90 kV
Max mA @ Max kV	15mA @ 90kV
mA steps decrease @ kV, mAs	Input : 110/120, 220/230V 20mA (40-60kV/0.32-30mAs) 16mA (61-70kV/16-30mAs) 15mA (81 - 90kV/0.32-3.2mAs)
Setting increase	0.32 - 30 mAs (21 steps) 40 - 90 kV (1kV step)
Weight	7.8 kg
Dimension (mm) (L X W X H)	Actual size : 275*140*150 Packing size : 490*340*310

Orange 9020HF-BT

Generator Type	High Frequency Inverter
Max. Output Power	1.35kW, 12mA@90kV
kV Range	40 ~ 90 kV
mA Range	12 ~ 20 mA
mAs Range	0.32 ~ 30 mAs
Battery Type	Rechargeable Lithium-Ion Polymer battery
Battery Voltage	60 VDC
Charge Power	110/220 AC, 50/60 Hz
Charge Time	2.5 hrs
X-Ray Tube	Focal Spot : 1.2 mm Anode Heat Storage : 10,000 J
Laser Pointers	Class II Diode Laser Output max. 3.0 mW
APR Memory	7 Memory standard extendable to 12 memories

Aluminum Case

Light hand carry case

Power cable, Manual, Shoulder strap



ECORAY

EcoRay Co., Ltd.

3F TaeSeung B/D, 536 Eonju-ro, Gangnam-gu, Seoul, KOREA 135-917

Factory at 621-14, Dochun-dong, Gwangsan-gu, Gwangju, KOREA 506-301

Tel) +82 70 7510 3400 Fax) +82 70 8630 3420

e-mail to sales@ecoray.kr website at www.ecoray.kr / www.acomaxray.com

IP-4050

Veterinary Patient Monitor

2ch ECG / SpO2 / NIBP / 2ch IBP / 2ch Temp / Respiratory
Optional Built-In EtCO2

IP-4050 is

10.4 inch Multi-Parameter Color Patient Monitor
High resolution (800*480) / WideScreen (16:9) TFT LCD
7 parameters along with 6 waveforms

Convenient PreSET Mode

Preset mode for Dog, Cat, Horse

Veterinary NIBP technology

Inflation Pressure Setting for Dog, Cat, Horse

Advanced SpO2 technology

PulseRT SpO2 technology

EtCO2 module

Built-In RespiroKCS EtCO2 module



Features

Easy to Use

Selectable 6 Wave / 15 wave / 4 wave / 3 wave Display
Configurable color and font of parameters
Configurable color of waveforms

Transportable

Up to 8 hours use with a battery
Light weight 3.5 kg

Quick Start-Up

Less than 2 minutes

72 hours of backup and graphic trend data
RS-232 port or LAN (optional)
Multi-national language (7 languages)
Battery status and Wall mount
Cement Mounting Bracket (USP type)



Veterinary Monitor

IP-3010 Vet

7 inch display Multi-Parameter Veterinary monitor

7 inch Wide type Color TFT displays with maximum 5 waveforms, electrocardiogram interference proof and Defibrillation protection. Built-in type solid-state ECG module and 2-wave thermal printer (optional). Very quick start-up initial time (less than 2 seconds). Built-in rechargeable Li-ion battery can work about 5 hours. Quick selection of default alarm limits values by veterinary type: Cat, Dog, Horse, and etc.



Veterinary Monitor

IP-4050 Vet

10.4 inch display Multi-Parameter Veterinary monitor

10.4 inch Wide type Color TFT displays with maximum 6 waveforms, electrocardiogram interference proof, Respiration screen, TCO2 module and 2-wave thermal printer (optional). Very quick start-up initial time (less than 2 seconds). Built-in rechargeable Li-ion battery can work about 3 hours. Quick selection of default alarm limits values by veterinary type: Cat, Dog, Horse, and etc.





IP-3000 Series

VETERINARY MONITOR

Purescope

- 7" 8.5" color high resolution wide TFT color LCD screen
- Detection of 12 kinds of ECG arrhythmia alarms
- 5 hours charging and 4 hours operating battery
- 3 kg compact & light design



3. VETERINARY MONITOR (MODEL; IP-3010, IP-3050, 7.0" , 8.5")

Veterinary Monitor IP-1010 Vet

Veterinary Pulse Oximeter

IP-1010 can accurately detect pulse rate of animal with low perfusion. Compact and simple tabling design. Inconspicuous operation and easy-to-read eight display. 72 hours broad memory. With 4 hours battery charging time. It can operate for 10 hours. IV-clip mount option.



Veterinary Monitor IP-1020 Vet

Veterinary vital sign Monitor

Designed to compact size. 5Q3, MRP 2.5-Romanian vital sign monitor. High sensitivity and specificity and moving artifact protection. 72 hours of recording and strong battery capacity. Provides RS-232 and nurse call interface. Quick selection of default alarm limits values by veterinary type: Cat, Dog, Horse and etc. IV-clip mount option.



4. VETERINARY VITAL SIGN MONITOR, OXIMETER (MODEL; IP-1020, IP-1010)

CHISON SONOTOUCH - THE FUTURE FOR VETERINARY ULTRASOUND

- 33912 SONOTOUCH VET B/W ULTRASOUND
- 33913 SONOTOUCH VET COLOUR ULTRASOUND

10" LED touch screen - button free

- sharp and bright images visible outdoor under sunlight
- waterproof front panel

Easy measurement

- VET software
- measurement accuracy to under 1 mm
- take measurements with your fingers, no trackball, no stylus

Powerful

- built-in lithium battery lasts up to 2.5 hours
- starts in 30 seconds, shuts down in 2 seconds.

Many applications

- over 25 VET preset applications
- select species and presets by visual icon

Quality images

- refine the image with easy, touch-driven TGC, focus and depth



Multifunctional stand


- desk stand with adjustable angle
- stand convertible into an integrated carrying handle

- Small animals
- Large animals



	PROBES	FREQUENCY (MHz)			Main application						
GIMA code	Scanning Method	Main freq.	Probe band width	ABDOMINAL	OB/GYN	UROLOGY	CARDIOLOGY	INTESTINE	EQUINE	MSK TENDON	
33922	CONVEX	3.5	2.5 - 5.0	○	○	○					
33923	LINEAR	7.5	5.0 - 10.0	○				○	○	○	
33927	MICRO-CONVEX	6.0	4.0 - 8.0	○	○		○				

CHISON ECO 1 AND ECO 3 VET ULTRASOUNDS



33995

- 33994 ECO1 VET ULTRASOUND with 1 probe connector, without probe, 3 USB ports, VGA port, video port.

- 33995 ECO 3 VET ULTRASOUND with 2 probe connectors, without probe, built in rechargeable lithium ion battery (2 hours), 3 USB ports, VGA port, video port.

Display Modes: B, B/B, 4B, M, B/M

Grey scale: 256 levels

Scanning depth: 240 mm max (depending on probe type) only 33994

Image Technology: Compound Imaging, Trapezoid imaging, Chroma, i-image, THI, SRA, (only 33995)

Cine Loop: 256 frames

Image Storage: permanent storage on built-in memory, and USB disk (33994), 8G (33995)

Zoom: 4 steps

Software packages: Canine: GS, CRL, HD, BD. Feline: HD,BD. Equine: GS,

Bovine: BPD,CRL, Trunk Diameter. Ovine: BPD, CRL, Trunk Diameter.

Power Supply: 100-240V, 50Hz~ 60Hz

Manual: GB, IT, on request FR.

- 33997 MICROCONVEX 6.0 MHz (4.0-8.0 MHz) PROBE

- 33998 CONVEX 3.5 MHz (2.5-5.0 MHz) PROBE

- 33999 LINEAR 5.3-10.0 MHz PROBE


PORTABLE ULTRASOUND UNIT FOR VETERINARY APPLICATIONS

- 33936 VETERINARY ECOGRAPH 10" SVGA monitor with two probe connectors, cine memory card, without probes.

- image reversing: left/right, up/down, positive/negative
- zooming: X1.0, X1.2, X1.5, X2.0 with scroll-up depth control
- measurements: distance, circumference, area, volume (bladder volume, thyroid volume), 15 body marks.
- reproduction software: Bovine: BPD, CRL, Trunk diameter, Equine: GA, Canine: GS, CRL, HD, BD, Feline: HD, BD
- Ovine: BPD, CRL, Trunk, Diameter
- power supply: 230V/50 Hz (110V/60 Hz on request)

- 33967 SONY PRINTER UP-897 MD

GIMA code	PROBES		Frequency (MHz)		Applications				
	Outlook	Scanning Method	Main freq.	4-Step Multi-frequency		Ob/Gyn	Abdominal	Cardiology	
33932		Convex	3.5	2.5/3.5/4.0/5.0	Ovine		○		
					Canine		○		
					Equine		○		
33938		Linear Rectal	5	3.5/5.0/6.0/7.0	Bovine		○		
					Ovine		○		
33939		Micro-convex	5	3.5/5.0/6.0/7.0	Feline		○	○	
					Canine			○	



Lightweight:
only 7 Kg
(size: 42x27x25 cm)

LUPENLAMPEN



LED LUPENLAMPE MIT GESTELL

Bestell-Nr.
0202 01 1005

GEWICHT: 10 kg
FARBE: Weiß

Diese moderne Lampe mit LED-Licht und einer 3 und 5 Dioptrien starken Lupe ist mit einer sehr stabilen 5-Räder-Basis ausgestattet. Der Arm ist sehr beweglich und macht das Arbeiten damit leichter.



LUPENLAMPE MIT GESTELL, 3 DIOPTRIEN

Bestell-Nr.
0202 01 1001

GEWICHT: 12 kg
FARBE: Weiß

Diese Kaltlicht-Lampe mit 3-Dioptrien-Lupe ist mit einer sehr stabilen 5-Räder-Basis ausgestattet. Der schwenkbare Arm vereinfacht die Bewegung und Befestigung der Lampe.



LED LUPENLAMPE MIT GESTELL

Bestell-Nr.
0202 01 1006

GEWICHT: 15 kg
FARBE: Weiß

Sehr moderne Lupe mit LED-Lampe mit 3 Dioptrien. Die Lichtstärke kann reguliert werden. Gelenkarm, der die Bewegung der Lampe vereinfacht. Sehr stabil dank ihrer Basis mit fünf Rädern.



LED-LUPENLAMPE MIT 3 & 5 DIOPTRIEN

Bestell-Nr. 0202 01 1005T

GEWICHT: 5,5 kg | FARBE: Grau

Diese moderne Lampe mit LED-Licht und 3 Dioptrien sowie kleiner 5 Dioptrien starker Lupe ist mit einer Schraubzwinge für die Befestigung an Tischen oder Beautywägen ausgestattet. Der schwenkbare Arm vereinfacht die Bewegung der Lampe.



LUPENLAMPE 3 DIOPTRIEN

Bestell-Nr. 0202 01 1001T

GEWICHT: 6 kg | FARBE: Weiß

Dies ist die klassische Kaltlichtlampe mit 3 Dioptrien, die ausreichend Licht bietet und dessen Bewegungsmöglichkeiten optimale Lichtverhältnisse bietet. Tisch-Klemmbefestigung ist inklusive.



LUPENLAMPE 3 DIOPTRIEN

Bestell-Nr. 0202 01 1006T

GEWICHT: 12 kg
LÄNGE: 93 cm | BREITE: 33 cm | HÖHE: 15 cm

Sehr moderne Lupe mit LED-Lampe. Die Lichtstärke kann reguliert werden. Gelenkarm, der die Bewegung der Lampe vereinfacht. Ausgestattet mit Klemme für die Befestigung an Tischen oder Beautywägen. Die Lupe hat 3 Dioptrien.

LUPENLAMPEN



KALTLICHT (ohne Stativ)

WATTLEISTUNG: 22 W
LINSEN MATERIAL: Glas
FARBE: Weiß

3 DIOPTRIEN

Bestell-Nr. V 0202 07 6022KL-3DIOPT zzgl. USt

5 DIOPTRIEN

Bestell-Nr. V 0202 07 6022KL-5DIOPT zzgl. USt

8 DIOPTRIEN

Bestell-Nr. V 0202 07 6022KL-8DIOPT zzgl. USt



SMD-LED (ohne Stativ)

WATTLEISTUNG: 5-8 W
LINSEN MATERIAL: Glas
FARBE: Weiß

3 DIOPTRIEN

Bestell-Nr. V 0202 07 6022SMD-3DIOPT

5 DIOPTRIEN

Bestell-Nr. V 0202 07 6022SMD-5DIOPT

8 DIOPTRIEN

Bestell-Nr. V 0202 07 6022SMD-8DIOPT



1-5 STATIV
Bestell-Nr.
0202 07 STAT5

1-5A STATIV
Bestell-Nr.
0202 07 STAT5A

1-5B STATIV
Bestell-Nr.
0202 07 STAT5B



Iride



DID PLUS
our light your healthcare



Iride, the success in the evolution

*The colors of the rainbow so pretty in the sky / Are also on the faces of people passing by
(Somewhere over the rainbow, Louis Armstrong)*



Elidoceras, iridescent ammonite coming from Jurassic rocks of Madagascar (180 millions years ago). The ammonites are cephalopod mollusks appeared around 400 millions years ago and became extinct at the end of Cretaceous period (65 millions years ago). Presenting a wide variety of shapes and dimensions, the ammonites spread in different seas. Protected by a shell enshrouded generally in a spiral form, they were similar to the actual Nautilus and were provided with a system of internal chambers linked together by a central siphon. Thanks to the osmotic exchange of the animals internal liquids, the chambers were filled up and emptied out with gas and other liquids. Thanks to this sophisticated hydraulic system, the buoyancy, the immersion at desired depth as well as the emersion became possible. They represent the standard type of fossils as well as a real success of the evolution ... Iride!



Iride

Iride is state of the art LED technology for scialytic lamps. Thanks to an innovative system of lenses with 18 LED light sources, Iride provides a beam of light with wide scialytic effect, shadow-free, configurable with two different patterns from 18 to 30 cm in diameter. The light emitted by Iride is white and natural, with a CRI (Ra) of 90 points and a maximum brightness of 60,000 lx, which does not strain the eye and does not detract from operator concentration. To guarantee perfect perception of the illuminated area, Iride provides the use of three different color temperatures: 3.800K, 4.300K, 5.000K. The design of Iride takes into account the aesthetic components without compromising on ergonomics, ease of use and cleaning. The high quality of plastic materials provides strength and resistance to the most common cleaners and hygiene over time, responding to the high standards required by the medical industry. All of these elements make Iride a lamp suitable for the most demanding user.



Iride meets the needs
of different professionals:

dentists
doctors
podiatrists



Two different light spots



Customisable color temperature



High quality plastics



Handpiece (optional) art. HANDLEIRL



LIGHT TECHNOLOGY

Scialytic effect

The effective optical efficiency of the Iride lamp is based on an innovative lens system with 18 LED sources that ensures a beam of light with wide scialytic effect that is shadow-free.




Iride



competitors

Colour temperature adjustment

The light beam emitted by Iride is white and natural. For perfect perception of the illuminated area in every situation, the color temperature is adjustable and customisable with three different settings: 3.800K, 4.300K, 5.000K. A CRI factor (Color Rendering Index) of 90 points and maximum brightness of 60,000 lx finally are the guarantee of a lamp that doesn't strain the eyes.



Customisable light spot size

The innovative lens system with 18 LED sources allows the configuration of two different light spots of 18 and 30 cm in diameter.



18 cm spot



30 cm spot



RELIABILITY AND LIFE SPAN

Heat resistant materials, inert to detergents and stable in time

The high quality plastics used for Iride are resistant to temperatures higher than those of normal use. Their chemical composition ensures an inert behavior compared to the most common detergents.

Long life span, low consumption and lack of noise

LED technology is synonymous with absence of heat and quietness. Dynamic cooling (fan) of the light source is in fact no longer necessary. Iride consumes up to 10 times less than a conventional lamp. The guaranteed life can exceed 50,000 hours.



DESIGN AND ERGONOMICS

Handiness

Iride, designed with uncompromising attention to ergonomics and ease of use, is a lightweight accurate lamp, suitable for the most demanding user.

Customizations

Design also means working with a product close to everybody's needs and suitable with its own lifestyle. Therefore Iride was created with two different spots, the option of adjustment of the color temperature, the possibility of ceiling or dental unit installation and finally a wide range of colors RAL⁽¹⁾.



Tabletop Line

Automatic and Manual Autoclave Series

Tuttnauer

Your Sterilization & Infection Control Partner

Company Profile

For over 80 years, Tuttnauer's sterilization and infection control products have been trusted by hospitals, universities, research institutes, clinics and laboratories throughout the world. Supplying a range of top-quality products to over 100 countries, Tuttnauer has earned global recognition as a leader in sterilization and infection control.

Tuttnauer invests its full energies and resources in one area of expertise – sterilization and infection control. From our start, in 1925, we have worked on large-scale joint projects with leading research institutes and universities. This cooperation allows us to remain at the forefront of our field, developing and integrating the most advanced methods and technologies.



One Area of Expertise, Many Areas of Application

We have consistently provided solutions to various markets and offer a wide range of innovative cleaning, disinfection and sterilization products, varying in size and application including:

- An extensive variety of tabletop autoclaves for dental clinics and small to medium clinics, or as a second unit in medical centers and hospitals
- Cleaning, disinfection and sterilization products for CSSD use
- Industrial size sterilizers for hospitals and research institutes
- Laboratory autoclaves ranging in size and application
- Washers and disinfectors for dental clinics, hospitals and laboratories

Our autoclaves incorporate proven design and engineering features, resulting in a durable, warranted solution that meets international standards including FDA, ASME, ISO and CE Medical Devices.

Global Partnerships

At Tuttnauer we feel that business means people dealing with people. We pride ourselves on our reputation for having long-lasting relationships with our customers, spanning over decades and distances and for building solid, long-term relationships based on commitment and trust.

Our Flexibility is Your Advantage

Beyond our unmatched range of products, we also manage complete turnkey solutions, including planning, design and installation of equipment, as well as consultation and feasibility studies, for projects of all sizes.

Backed by deep industry experience and a track record of success, Tuttnauer continues to help medical and research institutes all over the world to plan and execute their sterilization and infection control policies.


We share your commitment to help protect your staff and patients against the spread of infectious diseases and to maintain a risk-free environment. The demand for stricter sterilization guidelines is on the rise, especially since the advent of AIDS and the development of virus mutations, which makes the battle for a cleaner and safer environment ever more challenging.

What is Sterilization?

Sterilization is a vital component of Infection Control procedures, the term used to describe the entire range of activities intended to achieve a clean, disease-free environment. Sterilization is defined as the destruction of all transmissible agents, bacteria and viruses from surfaces, medical instruments, food or any product that needs to be safely used without endangering the user.

Increased regulations and the requirement for proper sterilization in private clinics, tattoo parlors and beauty salons have given rise to the demand for sterilizers that are easy to use and maintain.

We believe that proper education, advanced technology and ease of use contribute to improved sterilization results.



Tuttnauer Automatic Autoclave Series

Providing a safe environment is our priority

Today, dental and medical clinics are voicing the demand for better sterilization. Tuttnauer is your partner in protecting your patients and gaining their trust. Our state of the art sterilization technologies are designed to deliver quality without compromise.

Tuttnauer Automatic Autoclaves produce the highest return on your investment by offering:

- **Rapid cycles**
- **Low Maintenance**
- **Durability**
- **Safety**

Benefits:

- Rapid cycles optimize the availability of ready-to-use sterile instruments
- Easy-to-use, single touch control system increases productivity
- Enhanced monitoring for consistent documentation of sterilization results
- Long lasting, easy to maintain autoclaves

Automatic Series Features:

- 4 pre-set sterilization programs
- Program and customize cycle parameters to meet your needs
- High precision control system for accurate sterilization results
- Integrated printer for cycle documentation (optional)
- PC Communication port enables storage of sterilization results
- Temperature and pressure monitoring
- User friendly, intuitive display
- Cycle information recovery in the case of power failure or cycle interruption
- Insufficient water detector with automatic shutoff
- Consistent monitoring of temperature and pressure for real-time accurate results
- Water-level sensors prevent cycle activation when insufficient water is detected in the chamber or reservoir

Capacity:


Our high-capacity models are available in 65 and 85 Liter chamber sizes. These models are designed for clinics that have a high volume of instrument turnaround, therefore decreasing the clinic's operational costs.



Safety and Convenience Features:

- Seamlessly integrated into your work environment with compact design and heat insulation
- Durable 316L type stainless steel chamber and door with electro-polish finish
- Double locking safety device prevents door from opening while chamber is pressurized
- Control lock-out switch prevents starting a cycle if door is not properly locked
- Door failure protection prevents door from opening at high pressure

316L type stainless steel
with electro-polish finish



Double locking safety device

Complies with strict international directives and standards:

PED 97/23 • MDD 93/42 • ASME • UL/EN 61010-1 • FDA • ISO 13485:2003 • ISO 9001:2000



Control Panel

Interactive Control System: Monitoring is essential for correct infection control in your private practice.

Tuttnauer Automatic Autoclaves feature a user friendly, micro-processor control system which offers enhanced monitoring, providing the control and flexibility you need. In addition password protection provides for secure access. The LCD display is easy to read with sharper and brighter indicator lights



Program Selector

Detailed Digital Display

Programmable Keys

Cycle Status Indicators

Sterilization Programs:

The autoclave offers 3 preset sterilization programs, at temperatures of up to 134°C (273°F) and 1 dry only program. Cycle parameters can be customized to suit your needs.

Program	Instruments & Materials
	Unwrapped Instruments and materials
	Wrapped Instruments and Porous Loads
	Glasswares For non medicinal liquids in open bottles and glassware
	Drying Select the accessory drying program to continue the heat assisted drying process

How to Select the Right Model for your Needs?

Tuttnauer Automatic Autoclave Series is available in a wide range of models: E, EK, EA and EKA.

E - Automatic Micro-Processor Control System

K - Quick Cycle - The quick cycle models significantly decrease sterilization cycle time, saving you time and optimizing results

A - Air Pump for closed door drying

E / EK

These models are available in two modes: The quick cycle model, EK, decreases heating time by over 50%, resulting in fast and efficient sterilization cycles and quick instrument turnaround. The EK is the perfect choice for the active clinic. The standard E model provides all the dependable features of the automatic autoclave line.



Model	Chamber Volume	Cold Cycle Time	Hot Cycle Time
E Series			
2340E	19 Liter	23 min.	16 min.
2540E	23 Liter	25 min.	17 min.
3140E	34 Liter	30 min.	18 min.
3850E	64 Liter	31 min.	20 min.
3870E	85 Liter	31 min.	21 min.
EK Series			
1730EK	7.5 Liter	14 min.	11 min.
2340EK	19 Liter	14 min.	11 min.
2540EK	23 Liter	14 min.	11 min.

Tested for unwrapped instruments. Cycle times includes heat up, sterilization exposure and exhaust. All cycle times may vary with instrument load and voltage.

EA / EKA - Fully Automatic Autoclaves

Closed Door Active Drying Air Pump:

With extra fast and efficient drying cycles, the EKA and EA autoclaves significantly increase your productivity. These two models have the added benefit of a high efficiency air pump which allows closed door active drying. The EKA and EA are built for improved sterilization with the ability to dry packs and pouches.

Benefits:

- More thorough drying and sterilization
- Faster drying for a shorter overall cycle
- 0.2 µm HEPA air filter provides sterile, bacteria-free air for drying

64/85 Liter Chamber Models

34 Liter Chamber Models



19/23 Liter Chamber Models

7.5 Liter Chamber Models

All printers are optional

Model	Chamber Volume	Cold Cycle Time	Hot Cycle Time
EA Series			
2340EA	19 Liter	23 min.	16 min.
2540EA	23 Liter	25 min.	18 min.
3850EA	64 Liter	31 min.	20 min.
3870EA	85 Liter	31 min.	20 min.
EKA Series			
2340EKA	19 Liter	14 min.	11 min.
2540EKA	23 Liter	14 min.	11 min.

-Tested for unwrapped instruments. Cycle times includes heatup, sterilization exposure and exhaust. All cycle times may vary with instrument load and voltage.

Tuttnauer Manual Autoclave Series

Simplicity at Work

M/MK

The Manual Autoclave is an affordable sterilizer for private clinics that do not want to compromise on quality, safety and reliability.

Tuttnauer manual autoclaves are an effortless Plug n' Play solution. After installation, the sterilizer is virtually maintenance free with reduced running costs.

Benefits:

- Tuttnauer Manual Autoclaves last longer
- Durable components significantly reduce maintenance expenses
- Ease of use eliminates the need for specialized staff to operate sterilizer

Safety and Convenience Features:

- Heat insulation and quiet operation for pleasant office environment
- Durable 316L type stainless steel chamber and door with electro-polish finish
- Double locking safety device prevents door from opening while chamber is pressurized
- Pressure activated lock prevents door from opening if chamber is pressurized
- Door failure protection prevents door from opening at high pressure
- Automatic safety shutoff prevents overheating
- Insufficient water detector with automatic shutoff



- 1 Pressure Gauge
- 2 Timer
- 3 Thermostat
- 4 Function Selector



64/85 Liter Chamber Models



19/23 Liter Chamber Models

34 Liter Chamber Models



7.5 Liter Chamber Models

Complies with strict international directives and standards:

PED 97/23 • MDD 93/42 • ASME • UL/EN 61010-1 • FDA • ISO 13485:2003 • ISO 9001:2000



Model	Chamber Volume	Cold Cycle Time	Hot Cycle Time
M Series			
2340M	19 Liter	20 min.	12 min.
2540M	23 Liter	22 min.	14 min.
3140M	34 Liter	25 min.	17 min.
3850M	64 Liter	29 min.	17 min.
3870M	85 Liter	31 min.	20 min.
MK Series			
1730MK (Valueklave)	7.5 Liter	12 min.	9 min.
2340MK	19 Liter	12 min.	9 min.
2540MK	23 Liter	12 min.	9 min.

Tested for unwrapped instruments. Cycle times includes heatup, sterilization exposure and exhaust . All cycle times may vary with instrument load and voltage.

Model	Chamber Volume	Standard Cassettes Capacity	No. of Trays	Tray Dimensions WxHxD (mm)	Voltage(V) Frequency (Hz)	Current(A) Power(W)	Overall Dimensions WxHxD (mm)	Autoclave Weight (Kg)
-------	----------------	-----------------------------	--------------	----------------------------	------------------------------	------------------------	-------------------------------	-----------------------

E Series

2340E	19 Liter	2 full/2 half	3	168x20x414	120/230V (50/60 Hz)	11.7/6A 1400W	508x362x550	33
2540E	23 Liter	3 full/3 half	4	168x20x414	120/230V (50/60 Hz)	11.7/6A 1400W	508x362x550	35
3140E	34 Liter	6 full	2	195x25x400 253x25x400	230V (50/60 Hz)	7.8A 1800W	586x450x555	54
3850E	64 Liter	10 full	2	495x25x286 495x25x350	230V (50/60 Hz)	10.4A 2400W	660x525x695	70
3870E	85 Liter	15 full	2	675x25x286 675x25x350	230V (50/60 Hz)	13A 3000W	660x525x875	80

EK Series

1730EK	7.5 Liter	2 half	3	115x20x290	120/230V (50/60 Hz)	11.3/5.9A 1350W	442x307x460	22
2340EK	19 Liter	2 full/2 half	3	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	33
2540EK	23 Liter	3 full/3 half	4	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	36

EA Series

2340EA	19 Liter	2 full/2 half	3	168x20x414	120/230V (50/60 Hz)	10.7/6A 1400W	508x362x550	36
2540EA	23 Liter	3 full/3 half	4	168x20x414	120/230V (50/60 Hz)	10.7/6A 1400W	508x362x550	36
3850EA	64 Liter	10 full	2	495x25x286 495x25x350	230V (50/60 Hz)	10.4A 2400W	660x525x695	70
3870EA	85 Liter	15 full	2	675x25x286 675x25x350	230V (50/60 Hz)	13A 3000W	660x525x875	81

EKA Series

2340 EKA	19 Liter	2 full/2 half	3	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	36
2540EKA	23 Liter	3 full/3 half	4	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	37

M Series

2340M	19 Liter	2 full/2 half	3	168x20x414	120/230V (50/60 Hz)	11.7/6A 1400W	508x362x550	30
2540M	23 Liter	3 full/3 half	4	168x20x414	120/230V (50/60 Hz)	11.7/6A 1400W	508x362x550	33
3140M	34 Liter	6 full	2	195x25x400 253x25x400	230V (50/60 Hz)	7.8A 1800W	586x450x555	52
3850M	64 Liter	10 full	2	495x25x286 495x25x350	230V (50/60 Hz)	10.4A 2400W	660x525x695	69
3870M	85 Liter	15 full	2	675x25x286 675x25x350	230V (50/60 Hz)	13A 3000W	660x525x875	78

MK Series

1730MK	7.5 Liter	2 half	3	115x20x290	120/230V (50/60 Hz)	11.3/5.9A 1350W	442x307x460	20
2340MK	19 Liter	2 full/2 half	3	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	31
2540 MK	23 Liter	3 full/3 half	4	168x20x414	230V (50/60 Hz)	9.6A 2200W	508x362x550	33

MKA

2540MKA	23 Liter	3 full/3 half	4	168x20x414	230V (50/60 Hz)	10.0A 2200W	508x362x550	38
----------------	----------	---------------	---	------------	--------------------	-------------	-------------	----

Medical Scales & Measuring Devices

International Range



Dedicated to health

ADE

Special scales



Veterinarian scales

Vet scale EHR4

Professional veterinarian scale for small and large pets with a fine graduation of 50 g. The stainless steel platform guarantees best hygienic standards. A hold function will optimize the reading of the results on the display.

Functions: Automatic zero setting, tare, low battery indication, auto switch off, hold function



CP 150 kg
GR 50 g
UT kg, lbs
DM 900 x 550 mm

Vet scale MV302600

The ideal scale for your pet at home or at the veterinarian office for quick and effortless weight control. The wooden made platform is covered by non-slip PVC for easy cleaning and safe use. With its weight of just over 5kg the scale can be easily carried. A tap-on-function allows starting the scale, holding a pet in the arms.

Functions: Automatic zero setting, low battery indication, auto switch off, tap-on-start

CP 100 kg
GR 100 g
UT kg
DM 850 x 620 mm





The familiar way

**Instruments for
modern veterinary medicine.**



Veterinary instruments

Veterinary instruments

The large Riester product-range offers many different possibilities for use in the veterinary clinics and practice. Functionality and quality are our main focus. Further products of our complete product range which are suitable for veterinary use are in our brochures for stethoscopes, head lamps, head mirrors, diagnostic lamps, laryngoscopes, uni®/econom®, pen-scope® and ri-scope® L. We are pleased to send you these brochures on request.



Otoscopes



ri-scope® operation otoscope (veterinary)

- Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp.
- Swivel lens with 2.5-fold magnification.
- Moveable, slotted speculum holder can be locked in any position.
- Open design for unhindered use during examination and operation.
- Bayonet fitting for fast and secure attachment to the handle.
- All-metal operation otoscope for a long service life.
- Fast exchange of lamp at the front of the otoscope.


No. 10541

HL 2.5 V

No. 10542

XL 3.5 V

Accessories



Reusable specula

for ri-scope® Operation otoscope (veterinary)

- High quality model made of chrome-plated, corrosion-free metal.
- Disinfection and sterilisation can be carried out in the normal way.
- Matt inner surfaces reduce the risk of reflections during examinations.
- Slotted models: Optimum instrument guide provided by special edges on opening.

Metal specula

Ø 4 mm, 83 mm long

No. 10881 Pack of 1

Ø 5 mm, 62 mm long

No. 10880 Pack of 1

Ø 6 mm, 82 mm long

No. 10882 Pack of 1

Metal specula, slotted

Ø 7.5 mm, 68 mm long

No. 10883 Pack of 1

Ø 9.4 mm, 92 mm long

No. 10884 Pack of 1



Reusable specula

for ri-scope® O.P. otoscope (for small animals)

- Sturdy and durable plastic specula with metal attachment for repeat use.
- Sterilisation at 134° C for 10 minutes in steam sterilizer possible.
- Various sizes available: 2 mm, 3 mm, 4 mm, 5 mm and 9 mm.
- The 9 mm speculum is suitable as a nasal speculum.
- Particulars of respective size on each speculum.
- Supplied in a poly-bag.

Ear specula

Ø 2 mm

No. 10460 Pack of 1

Ø 3 mm

No. 10461 Pack of 1

Ø 4 mm

No. 10462 Pack of 1

Ø 5 mm

No. 10463 Pack of 1

Nasal specula

Ø 9 mm

No. 10464 Pack of 1

Tongue blade holder



ri-scope® F.O. tongue blade holder

- Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp.
- High quality fibre-optics light wave conductor for an optimum light beam and transmission of light. In combination with the lamp this provides cool examination light similar to daylight, very pleasant for the patient.
- Slide attachment for fixing and detaching wooden tongue depressors for a firm hold.
- Bayonet fitting for fast and secure attachment to the handle.
- Sturdy, very light casing made of ABS plastic for a long service life.
- Simple exchange of the lamp at the base of the instrument head.

No. 10534

HL 2.5 V

No. 10535

XL 3.5 V

Nasal speculum



ri-scope® F.O. nasal speculum

- Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp.
- High quality fibre-optics light wave conductor for an optimum light beam and transmission of light. In combination with the lamp this provides cool examination light similar to daylight, very pleasant for the patient.
- Swivel and removable lens with 2.5-fold magnification.
- Slow and controlled expansion of the speculum by turning on the screw adjuster, fast expansion by pressing down on the screw adjuster.
- Bayonet fitting for fast and secure attachment to the handle.
- Impact resistant casing made of glass-fibre reinforced plastic.
- Simple exchange of the lamp at the base of the instrument head.

No. 10536

HL 2.5 V

No. 10537

XL 3.5 V

ri-scope® L Ophthalmoscope



ri-scope® L Ophthalmoscope L1

- Choice of XL 3.5 V xenon lamp or HL 2.5 V halogen lamp.
- Easy-to-operate aperture hand-wheel with semi-circle, small/medium/large circle fixation star, slit and red-free filter with contrast-enhancing effect
- Optimized high-performance optics with aspherical condenser lens
- Parallel beam path
- Dust-proof

No. 10568

HL 2,5 V

No. 10569

XL 3,5 V

Apertures und Filter L1



Corrective lenses L1

D+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	
D-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

Corrective lenses from +40 through -35 diopters guarantee a sharp picture, even in cases of especially severe refraction anomalies.

Handles

Battery handle, Type C with rheostat



for alkaline battery,
Li-ion battery and NiMH battery
No. 10670

for Li batteries
No. 10630

Battery handle, Type AA with rheostat



for alkaline battery,
Li-ion battery and NiMH battery
No. 10642

for Li batteries
No. 10643

Plug-in handle with rheostat



230V
No. 10638

120V
No. 10639

Sets

Reliable sets for veterinary use. The basic sets delivered without batteries, ri-accu® and ri-charger®. These accessories are shown under each respective art. no. and must be ordered separately. Due to the variety of possible instrument combinations, we show only a portion of all the instrument options in set form. For more detailed product information please contact us, we are pleased to send you the necessary information.

- the 2,5 V instruments are equipped with HL halogen lamps and the 3,5V instruments with XL Xenon lamps.
- All sets are supplied in a deluxe hard case with safety catches.
- Thanks to the bayonet fitting it is easy to replace the instrument heads.



vet I Otoloscope, suitable for larger animals

ri-scope® Operation otoscope (veterinary)

- Metal specula:
 - diameter 4 mm, 83 mm long,
 - diameter 5 mm, 62 mm long,
 - diameter 6 mm, 82 mm long.
- + Metal specula, slotted:
 - diameter 7.5 mm, 68 mm long,
 - diameter 9.4 mm, 92 mm long.
- One spare lamp.



vet I Otoloscope /Ophthal., suitable for larger animals

ri-scope® Operation otoscope (veterinary),
ri-scope® L Ophthalmoscope L1

- Metal specula:
 - diameter 4 mm, 83 mm long,
 - diameter 5 mm, 62 mm long,
 - diameter 6 mm, 82 mm long.
- + Metal specula, slotted:
 - diameter 7.5 mm, 68 mm long,
 - diameter 9.4 mm, 92 mm long.
- Two spare lamps.



vet de luxe I, suitable for larger animals

ri-scope® Operation otoscope (veterinary), ri-scope® L Ophthalmoscope L1, ri-scope® tongue depressor holders, ri-scope® F.O. Nasal speculum

- Metal specula:
 - diameter 4 mm, 83 mm long,
 - diameter 5 mm, 62 mm long,
 - diameter 6 mm, 82 mm long.
- + Metal specula, slotted:
 - diameter 7.5 mm, 68 mm long,
 - diameter 9.4 mm, 92 mm long.
- three spare lamps.

Battery handle, Type C with rheostat



for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3850**
Li-ion battery ri-accu® L 3.5 V **No.3851**
for Li-battery 3.5 V **No.3852**

for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3858**
Li-ion battery ri-accu® L 3.5 V **No.3859**
for Li-battery 3.5 V **No.3860**

for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3866**
Li-ion battery ri-accu® L 3.5 V **No.3867**
for Li-battery 3.5 V **No.3868**

Battery handle, Type AA with rheostat



for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3853**
Li-ion battery ri-accu® L 3.5 V **No.3854**
for Li-battery 3.5 V **No.3855**

for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3861**
Li-ion battery ri-accu® L 3.5 V **No.3862**
for Li-battery 3.5 V **No.3863**

for alkaline batteries, Type C or ri-accu® 2.5 V NiMH **No.3869**
Li-ion battery ri-accu® L 3.5 V **No.3870**
for Li-battery 3.5 V **No.3871**

Plug-in handle with rheostat



Li-ion battery ri-accu® L 3.5 V **230 V No.3856**
Li-ion battery ri-accu® L 3.5 V **120 V No.3857**

Li-ion battery ri-accu® L 3.5 V **230 V No.3864**
Li-ion battery ri-accu® L 3.5 V **120 V No.3865**

Li-ion battery ri-accu® L 3.5 V **230 V No.3872**
Li-ion battery ri-accu® L 3.5 V **120 V No.3873**

Batteries, Accus and Charging bases

Batteries: Alkaline battery Type C (2 pcs.)
Li battery Type C/AA (2 pcs.)



No. 10686 for 2.5 V
No. 11287 for 3.5 V

Alkaline batteries Type AA (2 pcs.)



No. 10685 for 2,5 V

Accus: NiMH Battery ri-accu® type C
Li-ion battery ri-accu® L type C
Li-ion battery ri-accu® L for plug in handel



No. 10681 for 2.5 V
No. 10691 for 3.5 V
No. 10692 for 3.5 V

NiMH Battery ri-accu® type AA
Li-ion battery ri-accu® L type AA



No. 10685 for 2.5 V
No. 10690 for 3.5 V

Charging bases: ri-charger® for NiMH Accus



No. 10700 for 230V
No. 10701 for 120V

ri-charger® L for Li-ion Accus



No. 10705 for 230V
No. 10706 for 120V

Spare lamps

Operation otoscope:	HL 2.5 V Pack of 6	No. 10602	XL 3.5 V Pack of 6	No. 10609
Nasal speculum				
Tongue blade holder:	HL 2.5 V Pack of 6	No. 10600	XL 3.5 V Pack of 6	No. 10607
Ophthalmoscope:	HL 2.5 V Pack of 6	No. 10605	XL 3.5 V Pack of 6	No. 10608

Rudolf Riester GmbH & Co. KG

Postfach 35 • DE-72417 Jungingen
Germany
Tel.: +49 (0)74 77/92 70-0
Fax: +49 (0)74 77/92 70-70
info@riester.de
www.riester.de



TECHNOLOGY ASSEMBLING

ALIUS

L'arredo professionale del medico dentista



ASTRA
PROGRAMMI D'ARREDO
PER IL SETTORE DENTALE

 **Studio**
Studio

 **Sterilizzazione**
Sterilization

 **Carrelli**
Service units

 **Complementi**
Complements



Base lavabo e cassettiere, menibili per la pulizia
Mobile sink and drawer units that facilitate cleaning



Per l'igiene assoluta la versione pensile o su ruote

I presupposti per un'igiene esemplare. La soluzione rispondente alle vostre aspettative, di facile pulizia e manutenzione.

For the absolute hygiene, the suspended version or the version on castors

The essential requirements for an exemplary hygiene, The solution that meets your requirements for an easy cleaning and maintenance.





Vetrina materiale monouso, particolare parte inferiore
Hanging unit for throwaway material, detail of the bottom part



Vetrina materiale monouso, particolare interno
Hanging unit for throwaway material, detail of the inside



Lavello ceramica a filo con miscelatore elettronico e piano in laminato colore alluminio
Plain level ceramic sink with electronic mixer and aluminium coloured laminate worktop



Stazione informatica, l'agenda virtuale organizzata con il minimo ingombro
Computer unit, your virtual space-saving organizer



Mobilità per il mantenimento
sterile dello strumentario,
la parte interna in acciaio a
succhio aumenta l'effetto
germicida

Sterilization unit for
instrumentation, easily
coated inside with
reflecting steel increasing
germicidal function



Serramaniglia su ruote,
il personale collaboratore
vicino al medico
Mobile unit on wheels,
a practical help for
the practitioner



Sistema di soluzioni progettate per l'estetica e la funzionalità

Le proposte ASTRA sono di grande impatto visivo per lo studio e offrono molteplici soluzioni sia sul piano estetico che funzionale. L'ampia modularità del programma consente di sfruttare e strutturare al meglio tutto lo spazio disponibile. Gli interni dei cassetti sono dotati di bacchette in PST atossico con diverse forme idonee a contenere il più vario strumentario e i materiali odontoiatrici.

I lavelli sono di diverse tipologie, in ceramica sopra piano e a filo con dosatori incorporati per il detergente e la disinfezione.



Colonna con serrandina,
pratica da aprire, soluzione
alternativa per avere sempre
a ordine il materiale monouso
Small shutter stand, easy to
open, an alternative solution
to place disposable
material in order



A whole range of proposals highlighting beauty and efficiency

ASTRA's proposals for the dentist's surgery are visually impressive. The many solutions presented in this catalogue offer a wide choice both in terms of look and efficiency. The great number of differently sized components allow for greater flexibility and best use of existing space. Inside all drawers differently shaped untaxed PST basins are provided to allow stocking of instruments and dental accessories. Ceramic sinks are available both in the desktop and sideboard versions, all of them including detergents and disinfectants flow regulators.

Mobile angolare con ante apertura a libro, il contenitore intelligente
per riporre di tutto e di più
Corner sideboard with book doors, a smart container
to hold more than you could possibly imagine



Mobile lineale con apertura ante a spinta
e cestini perforati per raccolta differenziata
They have been tearing for over ten years and arrive
at the festival fresh from a series of engagements



Il vetro elemento naturale e di tendenza

Oltre al colore di notevole effetto, il piano in vetro attrae per la sua trasparenza, brillantezza e per la forma morbida che può assumere la vasca fusa.

Glass - a natural and fashionable element

Besides the striking effect of its colour, the glass worktop is attractive for its transparency, brightness and for the smooth form of the fused sink.

Cassettone con apertura a ginocchio e doppio cassetto perforati
Kneecap control opening drawer and double waste basket



Piedini regolabili e ruote in gomma morbida
Adjustable feet and soft tyre castors



Piano in vetro con vasca fusa
Glass worktop with fused sink





La sterilizzazione razionale e moderna

Nella composizione proposta da Astra per la sterilizzazione, ogni elemento svolge una funzione specifica. La zona operativa è integrata dal piano di lavoro con salvagoccia e alzatine incorporate.

Le ante dei pensili sono dotate di diversi meccanismi di apertura o scorrevoli in vetro acidato temperato garantendo uno sfruttamento razionale dello spazio.

La funzionalità dei vani alloggio e le diverse soluzioni di modularità garantiscono l'inserimento delle apparecchiature anche di dimensioni importanti.

Rational and modern sterilization

Astra's proposal for sterilization process is a unit where single components have very different specific functions. The working area consists of a leaf table including a no-spilling device.

Acid treated temperate glass sliding doors are also available to open suspended units, therefore allowing best use of available space.

Storing units are extremely functional and all units are highly composable, allowing for easy placement of all equipment, including particularly bulky instrumentation.



Colonna per autoclave
e sgrassatrice da 60
Water storage tank stand
and sealer size 60



Pensile con ante a ribalta
con disco frenato
e cerniere interne
Suspended unit
with revolving door,
diameter-breaking device
and inside shelves included



Carrelli non elettrificati

Carrelli di servizio, componente fissa negli studi, aumentano l'ordine sfruttando tutto lo spazio disponibile.

Non electrified trolleys

Service trolleys, fixed elements in a surgery, enhancing the orderliness taking advantage of all the available space.

Carrello con optional cornice inox e piano in vetro
Trolley with optional inox frame and glass top



Carrello con 3 piani in vetro Mod. AL/C
Trolley with 3 glass shelves Mod. AL/C



Carrello per videografia Mod. AL/CS
Videographer instrumentation trolley Mod. AL/CS



Servomebile per ortodonzia
Orthodontic mobile unit



Pianetto laterale estraibile
Pull-out lateral panel



Carrello per apparecchi elettromedicali Mod. AL/CS
Electric medical instrumentation trolley Mod. AL/CS



Carrello per chirurgia impiantologia Mod. AL/CF
Surgery instrument-implants trolley Mod. AL/CF



Carrello per chirurgia impiantologia Mod. AL/CF
Surgery instrument-implants trolley Mod. AL/CF

Una soluzione per ogni esigenza

Astra propone una serie di carrelli con ruote piroettanti per alloggiare e trasportare con estrema facilità e sicurezza, in ogni tipo di studio, le apparecchiature elettromedicali.

Anche i carrelli consentono diverse combinazioni personalizzate in base alle reali necessità del medico.

An answer to your every need

Astra presents a number of trolleys on swivelling wheels designed to allow medical electric equipment to be kept in place and transported easily and safely in every kind of surgery.

Different combinations are possible according to the single practitioner's specific requirements.

Particolare prese posteriore
Back detail of sockets



Particolare vassoio per pedali
Detail of pedal tray



ARTICOLI PER VETERINARI E TOELETTATORI

GABBIE KENNELS	pag. 5
GABBIE IN PVC KENNELS	pag. 9
GABBIE PER GATTI CAGES FOR CATS	pag. 9
ACCESSORI GABBIE KENNELS ACCESSORIES	pag. 10
ESEMPI COMPOSIZIONI MODULAR KENNELEXAMPLES	pag. 11
TAVOLI DA VISITA ELETTRICI LOW-LIFT TABLES	pag. 12
TAVOLI OPERATORI SURGERY TABLES	pag. 14
TAVOLI SERVITORI INSTRUMENT TABLES	pag. 18
ORTOPEDIA ORTHOPAEDIC	pag. 19
ACCESSORI ORTOPEDIA ORTHOPAEDIC ACCESSORIES	pag. 20
CARRELLI ANESTESIA TROLLEYS FOR ANAESTHESIA	pag. 22
BARELLE STRETCHERS	pag. 24
LAVELLI WASH HAND BASINS	pag. 27
VASCHE PRE-CHIRURGICHE TUB TABLES	pag. 28
ARREDI FURNITURE	pag. 29
SGABELLI STOOLS	pag. 37
ARREDI FURNITURE	pag. 38

ARTICOLI PER TOELETTATURA	
VASCHE BATH TUBS	pag. 42
LAVELLI WASH HAND BASINS	pag. 47
GABBIE CAGES	pag. 48
TAVOLI TABLES	pag. 50
BARELLE STRETCHERS	pag. 54
SGABELLI STOOLS	pag. 55
LINEA COSMETICA COSMETIC LINE	pag. 56
CAPPE HOODS	pag. 58
PHON PHON	pag. 59
ASPIRATORI VACUUM CLEANERS	pag. 60
SOFFIATORI BLOWERS	pag. 61
STERILIZZATORI STERILISERS	pag. 63
PETTINI COMBS	pag. 64
ACCESSORI ACCESSORIES	pag. 65
TOSATRICI CLIPPERS	pag. 66
FORBICI SCISSORS	pag. 68
ARREDI FURNITURE	pag. 77
TRASPORTO CANI DOG TRANSPORTATION EQUIPMENT	pag. 89
BOX CANI E PENSIONI KENNELS AND DOG SHELTERS	pag. 90
RIABILITAZIONE E ALLENAMENTO REHABILITATION AND TRAINING	pag. 94



GABBIA CONTENZIONE
Gabbia contenzione gatti a doppia apertura, realizzata in acciaio plastificato.
Dimensioni: L50xP32xH40 cm
CONSTRUCTION CAGE
Double sloping kennel, made of plastic-coated steel.
Measuring: W50xD32xH40 cm



GABBIA DI CATTURA
Gabbia di cattura in acciaio zincato con chiusura a molla.
Dimensioni: L77xP32xH33 cm
CAPTURE CAGE
Cat trap in galvanised steel with spring hatch.
Measuring: W77xD32xH33 cm

GABBIA DI CATTURA GIGANTE

Gabbia di cattura realizzata in acciaio zincato.
Dimensioni: L120xP38xH40 cm

JUMBO TRAP

Trap cage made of galvanised steel.
Measuring: W120xD38xH40 cm



GABBIA DI CATTURA
Gabbia di cattura realizzata in acciaio zincato.
Dimensioni: L85xP36xH35 cm
CAPTURE CAGE
Cat trap made of galvanised steel.
Measuring: W85xD36xH35 cm



GABBIA BEAUTY
Gabbia di cattura ripieghevole a doppia apertura realizzata in acciaio zincato.
Dimensioni disponibili:
GA005/A L76 x P54 x H61
GA005/B L87 x P58 x H67
GA005/C L107 x P68 x H75
GA005/D L118 x P78 x H85
"BEAUTY" CAGE
Collapsible twin-opening trap cage made of galvanised steel.

5



GABBIA DEGENZA
A 4 posti realizzata in acciaio inox 304 (2 moduli parte superiore L60,5 x P72 x H60,5 cadauno + 2 moduli parte inferiore L60,5 x P72 x H75 cadauno), dotata di scarico per una facile pulizia, parte inferiore con divisorio estraibile, ruote conduttive per staticità elettromagnetica di cui 2 frenanti. Il divisorio estraibile consente di utilizzare la parte inferiore come unico ricovero. Piantone estraibile.
Dim.: L121xP72xH156 cm

KENNEL

Kennel with four compartments made of Type 304 stainless steel (upper compartments measuring W60.5 x D72 x H60.5cm per chamber, lower compartments measuring W60.5 x D75 x H72cm per chamber). Fitted with drain for easy cleaning, removable lower partitions, anti-static wheels and two brakes. The removable partition allows for single kennel use. With removable axis.
Measuring: W121xD72xH156 cm



GABBIA DEGENZA
A 5 posti (3 moduli parte superiore L60,5 x P72 x H60,5 cadauno + 2 moduli parte inferiore L90,5 x P72 x H95 cadauno), realizzata in acciaio inox 304, dotata di scarico per una facile pulizia, parte inferiore con divisorio estraibile, ruote conduttive per staticità elettromagnetica di cui 2 frenanti. Il divisorio estraibile consente di utilizzare la parte inferiore come unico ricovero. Piantone estraibile.
Dimensioni: L181,5xP72xH168 cm

KENNEL

Kennel with five compartments made of Type 304 stainless steel (upper three compartments measuring W60.5 x D72 x H60.5cm per chamber, lower two compartments measuring W90.5 x D72 x H95cm per chamber). Fitted with drain for easy cleaning, removable lower partitions, anti-static wheels and two brakes. The removable partition allows for single kennel use. With removable axis.
Measuring: W181.5xD72xH168 cm



GABBIA DEGENZA
A 5 posti (3 moduli parte superiore L60,5 x P72 x H60,5 cadauno + 2 moduli parte inferiore L90,5 x P72 x H95 cadauno), realizzata in acciaio inox 304, dotata di scarico per una facile pulizia, parte inferiore con divisorio estraibile, ruote conduttive per staticità elettromagnetica di cui 2 frenanti. Il divisorio estraibile consente di dividere la parte superiore in due gabbie di cui una di lunghezza 121. Il divisorio estraibile consente di utilizzare la parte inferiore come unico ricovero. Piantone estraibile.
Dimensioni: L181,5xP72xH168 cm

KENNEL

Kennel with five compartments made of Type 304 stainless steel (upper three compartments measuring W60.5 x D72 x H60.5cm per chamber, lower two compartments measuring W90.5 x D72 x H95cm per chamber). Fitted with drain for easy cleaning, removable lower partitions, anti-static wheels and two brakes. The removable upper and lower partitions allow for single kennel use, with the upper compartment measuring 121cm. With removable axis. Column removable.
Measuring: W181.5xD72xH168 cm



GABBIA DEGENZA
A 6 posti con moduli di dimensione cadauno L60,5 x P72 x H60,5 realizzata in acciaio inox 304, dotata di scarico per una facile pulizia.
Dimensioni: L181,5xP72xH133 cm
KENNEL
Kennel with six compartments each measuring W60.5 x D72 x H60.5cm. Made of Type 304 Stainless Steel. Fitted with drain for easy cleaning.
Measuring: W181.5 x D72 x H133cm

6



GA010

PORTE PER GABBIE DEGENZA IN MURATURA

In acciaio inox 304, ideali per chi ha l'esigenza di realizzare uno spazio dedicato alla degenza. Realizzazione su misura.

WALL-FITTED KENNEL GATES

Made of Type 304 stainless steel. Ideal for spaces dedicated to hospitalisation. Made to measure.

PANNELLO DIVISORIO PER DEGENZA IN MURATURA

In PVC

WALL-FITTED KENNEL DIVIDING PANELS
In pvc.

GA011



ESEMPIO GABBIA DEGENZA

In acciaio inox 304, a due posti.
Dimensioni: L 1210 x H 750 x P 720 cm

SAMPLE KENNEL

Made of Type 304 stainless steel, with two compartments.
W1210 x H750 x D720cm




GA012

MODULO L 60,5

Realizzato in acciaio inox 304, dotato di scarico per una facile pulizia.
Dimensione: L60,5 x P72 x H 60,5 cm

TYPE L 60,5

Made of Type 304 stainless steel, fitted with drain for easy cleaning.
Measuring W60.5 x D72 x H60.5cm



GA013

MODULO L 121

Realizzato in acciaio inox 304, dotato di scarico per una facile pulizia.

Dimensione: L121 x P72 x H 75 cm

TYPE L 121

Made of Type 304 stainless steel, fitted with drain for easy cleaning.
Measuring W121 x D72 x H75cm



GA014

MODULO L 181,5

Realizzato in acciaio inox 304, dotato di scarico per una facile pulizia.

Dimensione: L181,5 x P72 x H 95 cm

TYPE L 181,5

Made of Type 304 stainless steel, fitted with drain for easy cleaning. Measuring: W181.5 x D72 x H95cm

7



GA015

MODULO L 181,5

Realizzato in acciaio inox 304, dotato di scarico per una facile pulizia. Dimensione: L181,5 x P72 x H 60,5 cm

TYPE L 181,5

Made of Type 304 stainless steel, fitted with drain for easy cleaning. Measuring W181.5 x D72 x H60.5cm



GA016

GANCI DI FISSAGGIO PER MODULI COMBINABILI

BRACKETS FOR MODULAR CAGE PANELS

GABBIA DI ATTESA

Realizzato in acciaio inox AISI 304, 4 posti, con scarico posteriore.
121xP72xH143 cm

CAGE

Made of AISI 304 stainless steel, 4-seater, with rear discharge.
Measuring: 121 x P72 x H 143 cm

8



GABBIA OSPITE

Senza scarichi, in acciaio inox 304, nella parte posteriore dotata di comodo mobile in acciaio verniciato con polveri epossidiche.
Dim. esterne L120xP72xH145

CAGE

Without drains, stainless steel 304, in the back with comfortable furniture in painted steel with epoxy.
External measuring: L120xP72xH145

GA018



GA019

GABBIA IN PVC
PVC KENNEL

GA020

GABBIA DEGENZA GATTI
CAGES FOR CATS

GABBIE PVC PVC KENNELS

GABBIE PER GATTI CAGES FOR CATS

9



BASE FISSA PER GABBIE DEGENZA

Realizzata in acciaio inox 304, con piedini livellatori.

FIXED KENNEL PLATFORM

Made of Type 304 stainless steel, fitted with adjustable feet

ACGA001 Dimensioni: L60,5 x P72 x H 35 cm

ACGA002 Dimensioni: L121 x P72 x H 35 cm

ACGA003 Dimensioni: L181,5 x P72 x H 35 cm



BASE CON RUOTE PER GABBIE DEGENZA

Realizzata in acciaio inox 304, con 4 ruote conduttive per staticità elettromagnetica.

KENNEL PLATFORM ON WHEELS

Made of Type 304 stainless steel, fitted with anti-static wheels

ACGA004 Dimensioni: L60,5 x P72 x H 16 cm

ACGA005 Dimensioni: L121 x P72 x H 16 cm

ACGA006 Dimensioni: L181,5 x P72 x H 16 cm



ACGA016

**PORTA
CARTELLA**
CLIPBOARD



ACGA020

**SUPPORTO
PORTALAMPADA**
LAMP MOUNTING



SUPPORTO RIALZANTE

Realizzato in acciaio inox 304.

GRILL FLOOR

Made of Type 304 stainless steel.

ACGA007 Per modulo da / For type L60.5 cm

ACGA008 Per modulo da / For type L121 cm

ACGA009 Per modulo da / For type L181.5 cm



GRIGLIATO PLASTIFICATO

Per animali domestici in rete stirata plastificata e maniglie di appoggio.

PLASTIC GRID FLOOR

Suitable for pets. Made of plastic coated sheet metal mesh. Fitted with support handles.

ACGA010 54 x 69 cm

ACGA011 57 x 69 cm

ACGA012 87 x 69 cm



SSOIO PER SUPPORTO RIALZANTE

Realizzato in acciaio inox 304.

GRILL FLOOR TRAY

Made of Type 304 stainless steel

ACGA013 Per modulo da / For type L60.5 cm

ACGA014 Per modulo da / For type L121 cm

ACGA015 Per modulo da / For type L181.5 cm



ACGA021

SUPPORTO PORTAFLEBO
IV STAND



PORTA OSSIGENOTERAPIA

costruita in policarbonato con intelaiatura inox 304, termometro igrometro con pile e gorgogliatore con sgancio rapido

OXYGEN THERAPY DOOR


Made of polycarbonate with a Type 304 stainless steel frame, battery-operated hygrometric thermometer and quick-release bubbler

ACGA017 Per porta da / For door measuring L60.5 cm

ACGA018 Per porta da / For door measuring L75 cm

ACGA019 Per porta da / For door measuring L95 cm

10



11



TAVOLO MODELLO GAMMA

Tavolo elettrico da visita con movimento verticale azionato con pedaliera a due comandi che permette di modificarne l'altezza, realizzato in acciaio verniciato in epossidico. Piano in acciaio inox completo divaschetta raccogli liquidi. Portata 100kg - Potenza 250W Motore 24V - Dimensioni L130xP60xH max107-H min27 cm

LOW-LIFT TABLE - 'GAMMA' MODEL

Electric low-lift table controlled by means of a double-switch pedal. Made of epoxy-coated steel. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V. Measuring W130 x D60 x max 107 - min 27 cm



TAVOLO MODELLO GAMMA OPERATY

Tavolo elettrico da visita con movimento verticale azionato con pedaliera a due comandi che permette di modificarne l'altezza, realizzato in acciaio verniciato in epossidico. Movimento del piano a trendelenburg che permette di utilizzare il tavolo anche in assetto operatorio. Piano in acciaio inox completo di vaschetta raccogli liquidi. Portata 100kg Pot. 250W - Motore 24V - Dim: L130xP60xH max111-H min31 cm

LOW-LIFT TABLE - 'GAMMA OPERATY' MODEL

Electric low-lift table controlled by means of a double-switch pedal. Made of epoxy-coated steel. Adjustable Trendelenburg worktop allowing for use as surgery table. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V. Measuring W130 x D60 x H max 111 - min 31 cm



TAV002


TAVOLO MODELLO GAMMA

Versione su ruote di cui due frenanti per un facile spostamento. Dimensioni: L130xP60xH max120-H min40 cm

LOW-LIFT TABLE - 'GAMMA' MODEL

Version on wheels, two of which fitted with brakes to facilitate transfer. Measuring: W130 X D60 X H max 120cm - min 40cm

TAV004



TAVOLO MODELLO GAMMA CON BILANCIA

Tavolo elettrico da visita con bilancia pesata 120kg, movimento verticale azionato con pedaliera a due comandi per modificarne l'altezza, in acciaio verniciato in epossidico. Piano in acciaio inox completo di vaschetta raccogli liquidi. Versione su ruote di cui 2 frenanti per un facile spostamento. Portata 100kg - Potenza 250W - Motore 24V Dimensioni L130xP60xH max111-H min31 cm

LOW-LIFT TABLE WITH SCALES - 'GAMMA' MODEL
Electric low-lift table fitted with 120kg weighing scales. Controlled by means of a double-switch pedal. Made of epoxy-coated steel. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V. Measuring W130 x D60 x H max111 - min 31cm

12

TAV005



TAVOLO MODELLO MEDICAL INOX

Tavolo elettrico da visita con movimento verticale azionato con pedaliera a due comandi che permette di modificarne l'altezza, realizzato in acciaio inox AISI 304. Piano in acciaio inox completo di vaschetta raccogli liquidi. Portata 100kg - Potenza 250W - Motore 24V
Dimensioni L130xP60xH max107-H min27 cm

LOW-LIFT TABLE - 'MEDICAL INOX' MODEL

Electric low-lift table controlled by means of a double-switch pedal. Made of AISI 304 Stainless Steel. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V.
Measuring W130 x D60 x H max 107 - min 27cm

TAV006



TAVOLO MOD. MEDICAL INOX

Versione su ruote di cui 2 frenanti per un facile spostamento. Dimensioni L130xP60x H max120-H min40 cm

LOW-LIFT TABLE 'MEDICAL INOX' MODEL

Version on wheels, two of which fitted with brakes to facilitate transfer. Measuring: W130 X D60 X H max 120cm - min 40cm

TAV008



TAVOLO MODELLO MEDICAL INOX CON BILANCIA

Tavolo elettrico da visita con bilancia pesata 120kg, movimento verticale azionato con pedaliera a due comandi per modificarne l'altezza, in acciaio inox AISI 304. Piano in acciaio inox con vaschetta raccogli liquidi. Versione su ruote di cui 2 frenanti per un facile spostamento. Portata 100kg - Potenza 250W - Motore 24V
Dimensioni L130xP60xH max111-H min31 cm

LOW-LIFT TABLE WITH SCALES 'MEDICAL INOX' MODEL

Electric low-lift table fitted with 120kg weighing scales. Controlled by means of a double-switch pedal. Made of AISI 304 steel. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V. W130 x D60 x H max 111 - min 31cm

TAV007



TAVOLO MODELLO MEDICAL INOX OPERATY

Tavolo elettrico da visita con movimento verticale azionato con pedaliera a due comandi che permette di modificarne l'altezza, realizzato in acciaio inox AISI 304. Movimento del piano a trendelenburg che permette di utilizzare il tavolo anche in assetto operatorio. Piano in acciaio inox completo di vaschetta raccogli liquidi. Portata 100kg - Potenza 250W - Motore 24V
Dim: L130xP60xH max111-H min31 cm

LOW-LIFT TABLE - 'MEDICAL INOX OPERATY' MODEL

Electric low-lift table controlled by means of a double-switch pedal. Made of AISI 304 steel. Adjustable Trendelenburg worktop allowing for use as surgery table. Stainless steel worktop includes drip tray. Maximum load: 100kg. Power: 250W. Motor: 24V.
Measuring W130 x D60 x H max 111 - min 31cm

13

TAV009



TAVOLO ELETTRICO MODELLO ORTOPEDIC

Tavolo per ortopedia elettrico comandato da colonna decentrata, con piano in laminato plastico radiotrasparente che consente di sfruttare il tavolo con intensificatore di brillanza o simili; lo speciale movimento laterale permette al dottore di mettere il paziente in assetto operatorio corretto. E' dotato di barre laterali per ortopedia. Il piano è in laminato plastico antiriflesso; tutta la restante struttura è in acciaio inox AISI 304. E' in grado di effettuare tre movimenti: salita e discesa, basculante laterale e doppio trendelenburg con oscillazione approssimativa su ambo i lati di 17°. Portata 100kg - Potenza 250W Motore 24V.
Dimensioni L145xP40xH min 68,5 - H max 108,5 cm

ELECTRIC TABLE - 'ORTOPEDIC' MODEL

Orthopaedic electric table controlled by means of side column. With radiolucent plastic laminated worktop allowing use with intensifiers or similar. Special lateral movement allows the surgeon to correctly position the patient. Fitted with orthopaedic side bars. The worktop is made of antireflective plastic, while the rest of the article is made of AISI 304 steel. This model can move three ways: upwards, downwards, side-and-over pivot and double Trendelenburg with an approximate tilt of 17° on both sides. Maximum load: 100kg. Power: 250W. Motor: 24V.
Measuring W145 x D40 x H min 68.5 - max 108.5cm

OPT001

BATTERIA PER TAVOLI

Optional da abbinare ai tavoli operatori elettrici

BATTERY FOR TABLES

To include as an option with electric tables.

TAV010



TAVOLO ELETTRICO MODELLO ORTOPEDIC

Tavolo per ortopedia elettrico, comandato da colonna decentrata. Lo speciale movimento laterale permette al dottore di mettere il paziente in assetto operatorio corretto. E' dotato di barre laterali per ortopedia. Il piano in acciaio inox AISI 304 come la struttura. E' in grado di effettuare 3 movimenti: salita e discesa, basculante laterale e doppio trendelenburg oscillazione approssimativa su ambo i lati di 17°. Portata 100kg - Potenza 250W - Motore 24V
Dimensioni: L145xP40xH min 68,5 - H max 108,5 cm

ELECTRIC TABLE - 'ORTOPEDIC' MODEL

Orthopaedic electric table controlled by means of side column. Special lateral movement allows the surgeon to correctly position the patient. Fitted with orthopaedic side bars. Both the worktop as well as the rest of the article is made of AISI 304 steel. This model can move three ways: upwards, downwards, side-and-over pivot and double Trendelenburg with an approximate tilt of 17° on both sides. Maximum load: 100kg. Power: 250W. Motor: 24V. Measuring W145 x D40 x H min 68.5 - max 108.5cm

TAV009/B



TAVOLO ELETTRICO SYSTEM SURGICAL

In acciaio inox 304, piano con apertura a libro con vaschetta assiale per la raccolta dei liquidi, lo speciale movimento laterale permette al dottore di mettere il paziente in assetto operatorio corretto. E' in grado di effettuare movimento verticale per salita e discesa e movimento a trendelenburg su entrambi i lati. Portata 100kg
Potenza 250W - Motore 24V
Dimensioni L145xP50xH min 68,5 - H max 108,5 cm

ELECTRIC TABLE 'SYSTEM SURGICAL' MODEL

Made of Type 304 Stainless Steel, worktop with hinged flap-fold fitted with axial drip tray. Special lateral movement allows the surgeon to correctly position the patient. This model can move two ways: upwards and downwards as well as a Trendelenburg tilt on either side. Maximum load: 100kg. Power: 250W. Motor: 24V.
Measuring W145 x D50 x H min 68.5 - max 108.5cm



TAVOLO PER ORTOPEDIA SURGERY MEDICAL
Tavolo realizzato in acciaio inox 304, dotato di barre laterali per ortopedia, movimento verticale e a Trendelenburg, 4 ruote frenanti. L145xP55xH70 cm

ORTHOPAEDIC TABLE 'SURGERY MEDICAL' MODEL
Made of Type 304 stainless steel, fitted with orthopaedic side bars, moves vertically and at a Trendelenburg tilt. Fitted with brakes on 4 wheels. W145 x D50 x H70cm



TAVOLO PER ORTOPEDIA MOD. CARLY
Tavolo operatorio idraulico a doppia colonna ottagonale idraulica, realizzato in acciaio inox 304. Movimento verticale e trendelenburg azionabile con comando a pedali e movimento laterale manuale che consente al dottore di mettere il paziente in assetto operatorio corretto. Piano a libro RADIOTRASPARENTE e vaschetta assiale raccogli liquidi. Portata 100kg. Dimensioni: L145xP55xH min98 - H max112cm

HYDRAULIC ORTHOPAEDIC TABLE 'CARLY' MODEL
Surgical table fitted with adjustable hydraulic octagonal double column. Made of Type 304 Stainless Steel. This model can move vertically and at a Trendelenburg tilt (controlled by means of a pedal) and laterally (manual) allowing the surgeon to correctly position the patient. RADIOLUCENT worktop with hinged flap-fold fitted with axial drip tray. Maximum load: 100kg. W145 x D55 x H min 98 - max 112cm

TAVOLO MODELLO VALERY
Tavolo operatorio idraulico a doppia colonna ottagonale idraulica, realizzato in acciaio inox 304. Movimento verticale e trendelenburg azionabile con comando a pedali e movimento laterale manuale che consente al dottore di mettere il paziente in assetto operatorio corretto. Piano a libro e vaschetta assiale raccogli liquidi. Portata 100kg. L145xP55xH min98 - H max112cm

HYDRAULIC TABLE - 'VALERY' MODEL
Surgical table fitted with adjustable hydraulic octagonal double column. Made of Type 304 Stainless Steel. This model can move vertically and at a Trendelenburg tilt (controlled by means of a pedal) and laterally (manual) allowing the surgeon to correctly position the patient. Worktop with hinged flap-fold fitted with axial drip tray. Maximum load: 100kg. W145 x D55 x H min 98 - max 112cm



Particolare sollevamento piano a libro con barra totale massima stabilita' e comodita' nell'utilizzo poiche' si riesce a regolare e fissare il piano mettendosi solo su un lato del tavolo operatorio. Special barred hinged-flap fold adjustment ensures maximum stability and comfort since it allows setting up from one side of the surgical table

TAVOLO IDRAULICO ORTOPEDICO MOD. ANIKA

Tavolo a doppia pompa con piano in laminato plastico radiotrasparente versione fissa, con barre laterali per ortopedia. Tutta la restante struttura è in acciaio inox AISI 304. 2 movimenti: salita e discesa e trendelenburg con oscillazione approssimativa su ambo i lati di 17°. Portata 100kg. Potenza 250W - Motore 24V. L145xP40xH min 89 - H max 103 cm

HYDRAULIC ORTHOPAEDIC TABLE 'ANIKA' MODEL
Orthopaedic table with fixed radiolucent plastic laminated worktop, with orthopaedic side bars. The worktop is made of antireflective plastic, while the rest of the article is made of AISI 304 steel. Maximum load: 100kg. Power: 250W. Motor: 24V. W145 x D40 x H min 89 - max 103cm



15



TAVOLO MODELLO MERCURY
Tavolo operatorio idraulico a doppia colonna quadra idraulica, realizzato in acciaio inox 304. Movimento verticale e trendelenburg azionabile con comando a pedali e movimento laterale manuale che consente al dottore di mettere il paziente in assetto operatorio corretto. Piano a libro e vaschetta assiale raccogli liquidi. Portata 100kg. L145xP55xH min98 - H max112cm

HYDRAULIC TABLE 'MERCURY' MODEL
Surgical table fitted with adjustable hydraulic quadrilateral double column. Made of Type 304 Stainless Steel. This model can move vertically and at a Trendelenburg tilt (controlled by means of a pedal) and laterally (manual) allowing the surgeon to correctly position the patient. Worktop with hinged flap-fold fitted with axial drip tray. Maximum load: 100kg. W145 x D55 x H min 98 - max 112cm



TAVOLO MODELLO ZARA

Tavolo idraulico operatorio mono-colonna in acciaio inox 304. Movimento verticale azionato a mezzo pedale, movimento a trendelenburg manuale. Piano a libro con vaschetta assiale per la raccolta dei liquidi. Portata 100kg. Dim. L130xP55xH min98 H max112cm

HYDRAULIC TABLE 'ZARA' MODEL
Surgical table fitted with adjustable hydraulic single column. Made of Type 304 Stainless Steel. This model can move vertically (controlled by means of a pedal) and at a Trendelenburg tilt (manual). Worktop with hinged flap-fold fitted with axial drip tray. Maximum load: 100kg. W130 D55 x H min 98 - max 112cm



TAVOLO MODELLO ZARA FISSO

Tavolo idraulico operatorio mono-colonna realizzato in acciaio inox 304. Movimento verticale azionato a mezzo pedale, movimento a trendelenburg manuale. Piano fisso. Portata 100kg. Dimensioni L140xP40xH min88 H max102 cm

FIXED TABLE - 'ZARA' MODEL
Surgical table fitted with adjustable hydraulic single column. Made of Type 304 Stainless Steel. This model can move vertically (controlled by means of a pedal) and at a Trendelenburg tilt (manual). Fixed worktop. Maximum load: 100kg. W140xD40xH min 88 - max 102cm



TAV024

TAVOLO MODELLO VANITY

Tavolo mono-colonna in acciaio inox 304. Movimento verticale azionato a mezzo pedale, movimento a trendelenburg manuale. Piano a libro con vaschetta assiale per la raccolta dei liquidi. Dotato di carrello per estrarre il piano e farlo diventare una comoda barella. Portata 100kg. L130xP55xH min98 H max112cm

TABLE MODEL VANITY
Table mono - column made of stainless steel 304 to vertical movement driven by pedal movement trendelenburg manual. Plan to book with axial pan for the collection of liquids. Featuring cart to extract the floor and make it a comfortable stretcher. Capacity 100kg. L130xP55xH min98 - H max112cm



TAV018

TAVOLO MODELLO PLANNER MAXI

Tavolo da visita fisso realizzato in acciaio inox 304. Piano con scolo e vaschetta di raccolta liquidi. Portata 100kg. L130xP60xH85 cm

CONSULTATION TABLE 'PLANNER MAXI' MODEL
Fixed consultation table made of Type 304 Stainless Steel. Worktop fitted with drain and drip tray. Maximum load: 100kg. W130 x D60 x H85cm



TAV020

TAVOLO MOD. PLANNER MAXI SU RUOTE

CONSULTATION TABLE 'PLANNER MAXI' MODEL ON WHEELS

TAV021

TAVOLO MOD. PLANNER SMALL SU RUOTE

CONSULTATION TABLE 'PLANNER SMALL' MODEL ON WHEELS



TAV022

TAVOLO DA VISITA A RIBALTA

Realizzato in acciaio inox AISI 304, ripiegabile completamente per ridurre l'ingombro nella sala visita. Dimensioni: L98xP60xH3 cm

FOLD-DOWN CONSULTATION TABLE
Made of AISI 304 Stainless Steel, folds all the way to maximise clinic space. Measuring W95 x D60 x H3cm



TAV023

TAVOLO DA VISITA MOD. "BLACK" CON PIANO IN GOMMA

Struttura in acciaio inox e piano in laminato rivestito con gomma antiscivolo. Dim.: L130 x P60 x H85 cm

CONSULTATION TABLE WITH RUBBER WORKTOP 'BLACK' MODEL
Stainless Steel frame and rubber clad laminated worktop. Measuring W130 x D60 x H85cm

Portata 100kg.
Dimensioni L120xP60xH85 cm

CONSULTATION TABLE 'PLANNER SMALL' MODEL
Fixed consultation table made of Type 304 Stainless Steel. Worktop fitted with drain and drip tray. Maximum load: 100kg. Measuring W120 x D60 x H85cm

TAVOLI SERVITORI INSTRUMENT TABLES




TAV025

TAVOLO SERVITORE A PONTE XL

Tavolo servitore a ponte in acciaio inox 304, regolabile in altezza con due comode maniglie. L90xP60xH91,4/147 cm

BRIDGED INSTRUMENT TABLE XL
Made of Type 304 stainless steel, adjustable height by means of two easy-access handles. W90 x D60 x H91,4 - 147cm




TAV026

TAVOLO SERVITORE A PONTE

Tavolo servitore a ponte in acciaio inox 304, regolabile in altezza con due comode maniglie. Dim.: L77xP44xH91,4/147 cm

BRIDGED INSTRUMENT TABLE
Made of Type 304 stainless steel, adjustable height by means of two easy-access handles. W77 x D44 x H91,4 - 147cm



TAV027

TAVOLO SERVITORE MAYO

Tavolo servitore portabisturi in acciaio inox 304 regolabile in altezza. L60 x P40 x H96/152 cm

MAYO TABLE
Height Adjustable instrument table made of Type 304 stainless steel. W60 x D40 x H96/152cm



LAP001



KIT LAPAROSCOPIA

Composto da:

- Una culla Diametro 150mm x L90 cm deve supportare peso PER CANI FINO A 10 Kg
- Una culla Diametro 200mm x L120 cm deve supportare peso PER CANI DAI 10 AI 30 Kg
- Una culla Diametro 250mm x L140 cm deve supportare peso PER CANI DAI 30 AI 40 Kg

Ha una struttura semicircolare, presenta quindi un lato superiore o dorsale concavo e un lato inferiore o volare convesso, questo consente la mobilità del paziente per il posizionamento in assetto operatorio, realizzata in materiale plastico resistente e disinfettabile, dotato di fascette per legare il cane.

LAPAROSCOPY KIT

Inclusive of:

- 1 x cradle (150mm diameter x L140 cm) to take a dog's weight of up to 10kg
- 1 x cradle (200mm diameter x L120 cm) to take a dog's weight of 10kg - 30kg
- 1 x cradle (250mm diameter x L140 cm) to take a dog's weight of 30kg - 40kg

With a semicircular frame, this article has a concave top or back side and a convex bottom or inner side – thus allowing easy patient handling during surgery.

Made of resistant, disinfestable plastic. Fitted with dog straps.



19

ACC001

PIANTANA PORTA-FLEBOCLISI

su razza a 5 ruote in acciaio inox 304. Speciale razza ospedaliera con minimo ingombro e stabilità.

DRIP STAND

On a 5-spoke base on wheels made of Type 304 stainless steel. Special clinic spoke-base to allow for stability and space maximisation



ASTA DI TRAZIONE TRACTION ROD

ACC002



ACC004

BARRA ORTOPEDICA INSTRUMENT HOLDER



ACC005

MORSETTO CLAMP



ACC003

VASSOIO RADIOTRASPARENTE

Dimensioni 30 x 20 cm
RADIOLUCENT TRAY
Measuring 30 x 20 cm



ACC007

SOSTEGNI STABILIZZATORE A COPPIA SUPPORT STABILIZERS (PAIR)





ACC006

ASTA SORREGGITELO
DRAPE FRAME



ACC008

SUPPORTO FLEBO PER TAVOLO
TABLE-MOUNTED
DRIP STAND



ACC009

ACCESSORIO DENTALE POSIZIONABILE SU TAVOLI
TABLE-MOUNTED JAW STAND
FOR DENTISTRY



ACC011

DISTRATTORE OSSEO
Per riposizionamento osseo
DISTRACTOR BONE
Contraption for dislocated bones



ACC010

TAPPETO ANTISCIVOLO
Trasparente ideale per tavoli visita e operatori, realizzato in silicio medicale antiaderente su tutte le superfici, disinfettabile
SLIP RESISTANT MAT
Transparent. Ideal for consultation and surgery tables. Made of surgical non-stick silicon. Disinfectable.

21

ANE001

SUPPORTO ANESTESIA NUDO DA TAVOLO

Supporto per anestesia da tavolo in acciaio inox 304. Dim: L45xP45xH50 cm

TABLETOP ANAESTHETIC UNIT STAND (BARE)
Made of Type 304 stainless steel.
Measuring W45 X D45 X H50cm

ANE002

SISTEMA ANESTESIA DA TAVOLO CON ACCESSORI

Composto da: supporto anestesia da tavolo in acciaio inox 304, scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito aperto, pallone 2 lt, vaporizzatore TEC3 revisionato. Dimensioni: L45xP45xH50 cm

TABLETOP ANAESTHETIC UNIT (EQUIPPED)
Includes Type 304 stainless steel anaesthetic stand, single-gas-cartridge flowmeter set, bypass with bayonet fixture, open circuit, 2l re-breathing bag, TEC3 inspected vaporiser. Measuring W45 X D45 X H50cm

ANE003

SISTEMA ANESTESIA DA TAVOLO CON ACCESSORI

Circuito rotatorio aperto e chiuso. Composto da: scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito rotatorio aperto e chiuso, pallone 2 lt, vaporizzatore TEC3 revisionato.

TABLETOP ANAESTHETIC UNIT (EQUIPPED)
Includes single-gas-cartridge flowmeter set, bypass with bayonet fixture, open and closed circuit, 2l re-breathing bag, TEC3 inspected vaporiser.



ANE010

VAPORIZZATORE NUOVO
NEW VAPORISER



ANE004

BARRA ANESTESIA NUDA DA MURO

Barra in alluminio anodizzato. L45 cm
WALL-FITTED ANAESTHETIC STAND (BARE)
Made of anodised aluminium. W45cm

ANE005

BARRA ANESTESIA DA MURO CON ACCESSORI

Composto da: barra in alluminio anodizzato, scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito aperto, pallone 2 lt, vaporizzatore TEC3 revisionato. Dimensioni: L45cm

WALL-FITTED ANAESTHETIC STAND (EQUIPPED)
Includes anodised aluminium stand, single-gas-cartridge flowmeter set, bypass with bayonet fixture, open circuit, 2l re-breathing bag, TEC3 inspected vaporiser. W45cm.

ANE006

BARRA ANESTESIA DA MURO CON ACCESSORI

Composto da: barra in alluminio anodizzato, scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito rotatorio aperto e chiuso, pallone 2 lt, vaporizzatore TEC3 revisionato. Dimensioni: L45cm

WALL-FITTED ANAESTHETIC STAND (EQUIPPED)
Includes anodised aluminium stand, single-gas-cartridge flowmeter set, bypass with bayonet fixture, open and closed circuit, 2l re-breathing bag, TEC3 inspected vaporiser W45cm.

22



ANE007

CARRELLO ANESTESIA NUDO 1 CASSETTO

A un cassetto realizzato in acciaio inox 304. Dimensioni: L50xP50xH155 cm
SINGLE-DRAWER ANAESTHETIC TROLLEY (BARE)
With one drawer made of Type 304 stainless steel. W50x D50 x H155cm

ANE008

CARRELLO ANESTESIA 1 CASSETTO CON ALLESTIMENTO

A un cassetto realizzato in acciaio inox 304 composto da: scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito aperto, pallone 2 lt, vaporizzatore TEC3 revisionato. Dimensioni: L50xP50xH155 cm
SINGLE-DRAWER ANAESTHETIC TROLLEY (EQUIPPED)
With one drawer made of Type 304 stainless steel. Includes anodised aluminium stand, single-gas-cartridge flowmeter set, bypass with bayonet fixture, open circuit, 2l re-breathing bag, TEC3 inspected vaporiser. W50x D50 x H155cm

ANE009

CARRELLO ANESTESIA 1 CASSETTO CON ALLESTIMENTO

A un cassetto realizzato in acciaio inox 304, composto da: scatola flussometrica 1 gas, By Pass con attacco a baionetta, circuito rotatorio aperto e chiuso, pallone 2 lt, vaporizzatore TEC3 revisionato. Dimensioni: L50xP50xH155 cm
SINGLE-DRAWER ANAESTHETIC TROLLEY (EQUIPPED)
With one drawer made of Type 304 stainless steel. Includes anodised aluminium stand, single-gas-cartridge flowmeter set, bypass with bayonet fixture, open and closed circuit, 2l re-breathing bag, TEC3 inspected vaporiser. W50x D50 x H155cm

23

BAR001

BARELLA

Con piano flessibile e robusto in tela impermeabile, maniglie in acciaio inox 304, carrello su ruote in acciaio verniciato con polveri epossidiche. Dimensioni: L130xP50xH30 cm. Dim. carrello: L80,5xP57xH78 cm

STRETCHER

Flexible bed made of waterproof reinforced fabric, handles made of Type 304 stainless steel, wheeled frame made of epoxy-coated iron. Measuring W130 x D50 x H30cm. Frame measurements: W80.5 x D57 x H78cm

BAR002

BARELLA ANTIDECUBITO

Barella antidecubito realizzata con telo microforato con memoria elastica, classe di reazione al fuoco 1, trattamento fungistatico. Dimensioni: L100xP70xH40 cm

ANTI-DECUBITUS STRETCHER

Anti-decubitus stretcher made of microperforated fabric with elastic memory foam, Class 1 fire resistant, fungistatic treatment. Measuring W100 x D70 x H40cm

BAR003

BARELLA ECO CARDIO

Realizzata in tessuto lavabile, dotata di 2 fori di diametro 18 cm e 25 cm copribili totalmente con velette nello stesso tessuto. Dimensioni: L130xP50xH85 cm

BAR003: ECO-CARDIO STRETCHER

Made of washable fabric, includes two apertures measuring 18 and 25cm in diameter – with an option to conceal with the same type of fabric. Measuring W130 x D50 x H85cm

24

BAR004


BARELLA ECO-CARDIO PER TAVOLO

Barella per tavolo realizzata in tessuto lavabile, dotata di 2 fori di diametro 18 cm e 25 cm copribili totalmente con velette nello stesso tessuto.

Dim: L130xP50xH40 cm

ECO-CARDIO TABLETOP STRETCHER

Made of washable fabric, includes two apertures measuring 18 and 25cm in diameter – with an option to conceal with the same type of fabric. Measuring W130 x D50 x H40cm



MAT001

CHIRURGICO

operatorio, imbottito, ignifugo e adattabile al corpo dimensioni L110 x 50 x H 8 cm

is, padded, unflammmable and adaptable to the ape. Measuring W110 x D50 x H8cm



BARELLE STRETCHERS

B/
Re
e |
m.
ca
ef
Di
RA
of
tra
Be
Wi




BAR006

BARELLA

Realizzata in acciaio inox 304, maniglie retrattili per un facile spostamento, carrello su ruote in acciaio verniciato con polveri epossidiche. Dimensioni: L130xP50xH16 cm Dim. carrello: L80,5xP57xH78 cm

STRETCHER

Made of Type 304 stainless steel, retractable handles for easy transport, wheeled frame made of epoxy-coated steel. Bed measuring W130 x D50 x H16cm. Frame measuring W80.5 x D57 x H78cm



BARELLE STRETCHERS



LAV001

LAVELLO CHIRURGICO
Lavandino chirurgico realizzato in acciaio inox 304. Dotato di erogatore con comando a pedale, con porta. Dimensioni L50xP40xH85 cm

SURGICAL WASH HAND BASIN
Surgical wash hand basin made of Type 304 stainless steel. Measuring W50 x D40 x H85cm



LAV003

LAVELLO CHIRURGICO A COLONNA
Lavello a colonna sospeso, realizzato in acciaio inox 304, erogazione con comando a ginocchio. Dimensioni L50xP40xH76 cm

COLUMN MOUNTED SURGICAL WASH HAND BASIN

Made of Type 304 stainless steel. Fitted with knee-operated tap. Measuring W50 x D40 x H76cm



LAV004

LAVELLO CHIRURGICO
Lavello sospeso, realizzato in acciaio inox 304, erogazione con comando a ginocchio. Dimensioni L50xP40xH23 cm

WALL-MOUNTED SURGICAL WASH HAND BASIN

Made of Type 304 stainless steel. Fitted with knee-operated tap. Measuring W50 x D40 x H23cm



LAV002

LAVELLO CHIRURGICO
Lavandino chirurgico realizzato in acciaio inox 304. Dotato di erogatore con comando a ginocchio. Dimensioni L48xP33xH22 cm alzatina H30 cm

SURGICAL WASH HAND BASIN
Surgical wash hand basin made of Type 304 stainless steel. Fitted with knee-operated tap. Measuring W48 x D33 x H22 cm, backsplash: H30cm

27



VA001

VASCA PRE-OPERATORIA "FLOWER"
Realizzata in acciaio inox 304 con fondo stampato per una disinfezione perfetta. Dotata di miscelatore estraibile a doccia. Dimensioni vasca interna: L116xP50x Prof. vasca 37 cm. Dimensioni: L140XP70XH85cm

PRE-OP TUB TABLE "FLOWER"
Made of Type 304 Stainless Steel, with seamless bowl for total disinfection. Fitted with pull-out spray mixer. Inner tub measurements: W116 x D50 x Bowl depth: 37 cm. Total measurements: W140 x D70 x H85cm

VASCA PRE-OPERATORIA "IRIS"
Realizzata in acciaio inox 304 con fondo stampato per una disinfezione perfetta. Dotata di miscelatore estraibile a doccia. Mobile in acciaio verniciato con polveri epossidiche. Dimensioni vasca interna: L116xP50x Profondità vasca 20 cm. Dimensioni: L140XP70XH85cm

PRE-OP TUB TABLE "IRIS"
Made of Type 304 Stainless Steel, with seamless bowl for total disinfection. Fitted with pull-out spray mixer. Frame unit made of epoxy-coated steel. Inner tub measurements: W116 x D50 x Bowl depth: 20cm. Total meas: W140 x D70 x H85cm

28

VA002

VASCA PRE-OPERATORIA "ROSWEL"

In acciaio inox 304 con fondo stampato per una disinfezione perfetta. Con miscelatore estraibile a doccia. Dim. vasca interna: L116xP50x Profondità vasca 37 cm. L140XP70XH85cm



PRE-OP TUB TABLE "ROSWEL"
Made of Type 304 Stainless Steel, with seamless bowl for total disinfection. Fitted with pull-out spray mixer. Inner tub measurements: W116 x D50 x Bowl depth: 37cm. Total meas.: W140 x D70 x H85cm

VA003



PE001



PENSILE INOX

Pensile inox realizzato in acciaio inox aisi 304. Porte scorrevoli con 1 ripiano. L90xP40xH60 cm

TOP UNIT "INOX"

Type 304 stainless steel wall unit. Sliding doors; one shelf (lower and upper compartments). W90 x D40 x H60cm



PE003

PENSILE

Pensile realizzato in acciaio verniciato con due ripiani e ante in vetro fumè. Dimensioni L100xP35xH50 cm

TOP UNIT

Wall cupboard made of painted stainless steel with two shelves (three compartments) and tinted glass doors. Measurement: W100 x D35 x H50cm



PE002

PENSILE INOX

Pensile inox realizzato in acciaio inox aisi 304, versione a giorno con un ripiano. Dimensioni L90xP40xH60 cm

TOP UNIT "INOX"

Type 304 stainless steel wall unit. Open cupboard; one shelf (lower and upper compartments). W90 x D40 x H60cm

29



AR001

ARMADIO FARMACIA

Armadio farmacia con tesoretto, struttura monoblocco in nobilitato spessore 20mm, colore bianco, finitura antigraffio. Bordatura in ABS, maniglie antitrauma, apertura con 3 cerniere a 270°, serratura a cariglione, contenitori in ABS termoformato con 60 vani portamedicinali e vaschette trasparenti asportabili in materiale infrangibile regolabili in profondità e piani regolabili su cremagliere. Sei ripiani più mobile per stupefacenti con serratura e ripiano interno (tesoretto). Appoggio a terra su telaio in acciaio con piedi regolabili in altezza. Dimensioni L90xP60xH200 cm

MEDICINE CABINET

Medicine cabinet with safety box, solid 20mm-thick melamine frame, available in white, scratch-proof finishing. Thermoplastic (ABS) edging, shockproof handles, 270° hinges, rod locks, thermoformed ABS containers with 60 medicinal compartments and height-adjustable transparent portable containers made of shatter-resistant materials. Six height-adjustable shelves and locked safe box with an internal shelf for drugs. Free-standing on height-adjustable steel frame. Measuring W90 x D60 x H200cm

Armadio farmacia con tesoretto, struttura monoblocco in nobilitato spessore 20mm, colore bianco, finitura antigraffio. Bordatura in ABS, maniglie antitrauma, apertura con 3 cerniere a 270°, serratura a cariglione, 3 cassetti, termoformato con 30 vani portamedicinali e vaschette trasparenti asportabili in materiale infrangibile regolabili in profondità e piani regolabili su cremagliere. Tre ripiani più armadietto per stupefacenti con serratura e ripiano interno (tesoretto). Appoggio a terra su telaio in acciaio e piedi regolabili in altezza. Dimensioni L90xP60xH200 cm

ARMADIO FARMACIA

MEDICINE CABINET

Medicine cabinet with safety box, solid 20mm-thick melamine frame, available in white, scratch-proof finishing. Thermoplastic (ABS) edging, shockproof handles, 270° triple hinges, rod locks, 3 drawers, thermoformed ABS containers with 30 medicinal compartments and height-adjustable transparent portable containers made of shatter-resistant materials. Three height-adjustable shelves and locked safe box with an internal shelf for drugs. Free-standing on height-adjustable steel frame. Measuring W90 x D60 x H200cm



AR002

30

**ARMADIO FARMACIA**

Armadio farmacia con tesoretto, struttura monoblocco in nobilitato spessore 20mm, colore bianco, finitura antigraffio. Bordatura in ABS, maniglie antitrauma, apertura con 3 cerniere a 270°, serratura a cariglione contenitori in ABS termoformato con 24 vani portamedicinali e vaschette trasparenti asportabili in materiale infrangibile regolabili in profondità e piani regolabili su cremagliere. Sei ripiani più mobile per stupefacenti con serratura e ripiano interno (tesoretto). Appoggio a terra su telaio in acciaio con piedi regolabili in altezza. Dimensioni L90xP60xH91,5 cm

AR004

MEDICINE CABINET
Medicine cabinet with safety box, solid 20mm-thick melamine frame, available in white, scratch-proof finishing. Thermoplastic (ABS) edging, shockproof handles, 270° triple hinges, rod locks, thermoformed ABS containers with 24 medicinal compartments and height-adjustable transparent portable containers made of shatter-resistant materials. Six height-adjustable shelves and locked safe box with an internal shelf for drugs. Free-standing on height-adjustable steel frame. Measuring W90 x D60 x H91,5cm

ARMADIO FARMACIA

Armadio in metallo con ante cieche scorrevoli con serratura, realizzato in lamiera verniciata in epossidico piani regolabili su cremagliere con 4 ripiani. Dimensioni L120xP45xH200 cm

MEDICINE CABINET

Metal unit with opaque lockable sliding doors. Made of epoxy-coated sheet metal. With height-adjustable shelving on four racks. Measuring W120 x D45 x H200cm



AR005

ARMADIO FARMACIA

Armadio farmacia con tesoretto, struttura monoblocco in nobilitato spessore 20mm, colore bianco, finitura antigraffio. Bordatura in ABS, maniglie antitrauma, apertura con 3 cerniere a 270°, serratura a cariglione, contenitori in ABS termoformato con 30 vani portamedicinali e vaschette trasparenti asportabili in materiale infrangibile regolabili in profondità e piani regolabili su cremagliere. Tre ripiani più mobile per stupefacenti con serratura e ripiano interno (tesoretto). Appoggio a terra su telaio in acciaio con piedi regolabili in altezza. Dimensioni L90xP60xH148 cm



AR003

MEDICINE CABINET

Medicine cabinet with safety box, solid 20mm-thick melamine frame, available in white, scratch-proof finishing. Thermoplastic (ABS) edging, shockproof handles, 270° triple hinges, rod locks, 3 drawers, thermoformed ABS containers with 30 medicinal compartments and height-adjustable transparent portable containers made of shatter-resistant materials. Three height-adjustable shelves and locked safe box with an internal shelf for drugs. Free-standing on height-adjustable steel frame. Measuring W90 x D60 x H148cm

31



AR006

ARMADIO IN METALLO

Con ante scorrevoli in vetro con serratura, realizzato in lamiera verniciata in epossidico piani regolabili su cremagliere con 4 ripiani. Dimensioni L120xP45xH200 cm

METAL CABINET

With lockable glass sliding doors. With height-adjustable shelving on four racks. Measuring W120 x D45 x H200cm



AR007

ARMADIO SPOGLIATOIO A DUE ANTE

Realizzato in metallo verniciato a polveri epossidiche. Pianetto superiore con asta portagruce. Portaombrellone con vaschetta raccogliacqua. Portacartellino. Serratura a cilindro. L70xP35xH180 cm-kg 31

TWIN-DOOR LOCKER

Made of epoxy-coated metal. Upper rack includes hanging rod. Umbrella stand with drip bowl. Clipboard stand. Pin-tumbler lock. Measuring W70 x D35 x H185 cm-31kg



AR009

ARMADIO DI SERVIZIO A DUE ANTE

In metallo verniciato a polveri epossidiche. Tramezza parziale con 3 ripiani corti, 2 ante a battente con serratura a chiave sistema 2 vie. Dimensioni L80xP40xH180 cm

TWIN-DOOR BROOM CUPBOARD

Made of epoxy-coated metal. Part-divider with three short racks. Twin flap doors with two-way locking system. Measuring W80 x D40 x H180cm



AR010

CASELLARIO A OTTO ANTE

Realizzato in metallo verniciato a polveri epossidiche. Ideale per studi medici associati per mantenere in sicurezza i documenti personali. Porta-cartellino sulle antine. Serratura a cilindro. Dimensioni ingresso vano 27x46,5x37h cm. Dimensioni L70xP50xH180 cm

EIGHT-DOOR LOCKER UNIT

Made of epoxy-coated metal. Ideal for shared use clinics for personal document safekeeping. Clipboard-holder fitted on doors. Pin-tumbler locks. Locker interior size: W27xD46,5xH37. Unit measuring W70 x D50 x H180 cm



RAL 1015 RAL 3009 RAL 3008 RAL 3009 RAL 9016 RAL 9017 RAL 9008 RAL 7000

32

TUTTI I MOBILI SONO IN ACCIAIO VERNICIATO IN EPOSSIDICO, COMPLETI DI TOP E CASSETTI H 60cm. È COMPRESO IL VASSOIO IN PLASTICA.
ALL FURNITURE IS MADE OF EPOXY-COATED METAL AND INCLUDE TOPS AND DRAWS (60CM HEIGHT). PLASTIC TRAY INCLUDED



MO001

MOBILE A UN'ANTA

Con ripiani in vetro all'interno
Dimensioni L50xP50xH86,5 cm
m3 0,35 - kg 30

SINGLE-DOOR UNIT

With interior glass shelving.
Measuring W50 x D50 x H86.5 cm /
0.35m3 / 30kg



MO002

MOBILE A 3 CASSETTI

1 da 180mm e 2 da 240mm
Dimensioni L50xP50xH86,5 cm
m3 0,35 - kg 41

THREE-DRAWER UNIT

1 x 180mm drawer and 2 x 240mm.
Measuring W50 x D50 x H86.5 cm /
0.35m3 / 41kg



MO003

MOBILE A 4 CASSETTI

1 da 60mm e 2 da 120mm
e 1 da 360mm
Dimensioni L50xP50xH86,5 cm
m3 0,35 - kg 42

FOUR-DRAWER UNIT

1 x 60mm drawer, 2 x 120mm,
1 x 360mm. Measuring W50 x
D50 x H86.5 cm / 0.35m3 / 42kg



MO004

MOBILE A 5 CASSETTI

3 da 60mm 1 da 120mm
e 1 da 360mm
Dim: L50xP50xH86,5 cm
m3 0,35 - kg 43

FIVE-DRAWER UNIT

3 x 60mm drawers, 1 x 120mm,
1 x 360mm. Measuring W50 x
D50 x H86.5 cm / 0.35m3 / 43kg



MO005

MOBILE A 4 CASSETTI

2 da 60mm 1 da 120mm
e 1 da 180mm
Dim: L50xP50xH78,5 cm
m3 0,35 - kg 43

FOUR-DRAWER UNIT

2 x 60mm drawers, 1 x 120mm,
1 x 180mm. Measuring W50 x
D50 x H78.5 cm / 0.35m3 / 43kg



ARREDI FURNITURE

TUTTI I MOBILI SONO IN ACCIAIO VERNICIATO IN EPOSSIDICO, COMPLETI DI TOP E CASSETTI H 60cm. È COMPRESO IL VASSOIO IN PLASTICA.
ALL FURNITURE IS MADE OF EPOXY-COATED METAL AND INCLUDE TOPS AND DRAWS (60CM HEIGHT). PLASTIC TRAY INCLUDED



MO006

MOBILE A 6 CASSETTI

2 da 60mm, 3 da 120mm
e 1 da 180mm
Dimensioni L50xP50x
H86,5 cm
m3 0,35 - kg 45

SIX-DRAWER UNIT

2 x 60mm drawers, 3 x 120mm,
1 x 180mm.
Measuring W50 x D50 x
H86.5 cm / 0.35m3 / 45kg



MO007

MODULO PREDISPOSTO PER INSERIMENTO AUTOCLAVE

Con cassetto da 180mm, è necessario comunicare le misure massime ingombro dell'autoclave
Dimensioni L60xP60xH86,5 cm -
m3 0,40 - kg 30

AUTOCLAVE CUPBOARD

Includes 180mm drawer.
Maximum dimensions required for autoclave must be provided prior to order.
Measuring W60 x D60 x
H86.5 cm / 0.40m3 / 30kg



MO008

MODULO A ULTRAVIOLETTI

Con antina in vetro fumè da 660mm completo di ripiani porta trays
Dimensioni L50xP50xH86,5 cm -
m3 0,35 - kg 41

UV CUPBOARD

With 660mm matt glass door. Includes tray-holding shelves.
Measuring W50 x D50 x
H86.5 cm / 0.35m3 / 41kg



MO009

MODULO CON LAVELLO SMALTATO

Con lavello smaltato sopra piano, rubinetto miscelatore e portarifiuti
Dimensioni L50xP50xH86,5 cm - m3 0,35 - kg 35

CUPBOARD WITH FITTED ENAMEL SINK

Includes enamel sink fitted on worktop, mixer and waste basket. Measuring W50 x D50 x H86.5 cm / 0.35m3 / 35kg



MO010

MODULO CON LAVELLO SMALTATO

Con lavello smaltato a filo piano, rubinetto miscelatore con elettrovalvola e portarifiuti. Dimensioni: L50xP50xH86,5 cm - m3 0,35 - kg 35

CUPBOARD WITH FITTED ENAMEL SINK

Includes enamel sink integrated into worktop, electric foot-switch + mixer and waste basket. Measuring: W50 x D50 x H86.5 cm / 0.35m3 / 35kg



ARREDI FURNITURE

TUTTI I MOBILI SONO IN ACCIAIO VERNICIATO IN EPOSSIDICO, COMPLETI DI TOP E CASSETTI H 60cm. È COMPRESO IL VASSOIO IN PLASTICA.
ALL FURNITURE IS MADE OF EPOXY-COATED METAL AND INCLUDE TOPS AND DRAWS (60CM HEIGHT). PLASTIC TRAY INCLUDED



MO011

MODULO CON LAVELLO INOX

Con lavello inox sopra piano, rubinetto miscelatore e portarifiuti.
Dimensioni: L50xP50xH86,5 cm - m3 0,35 - kg 39

CUPBOARD WITH FITTED STAINLESS STEEL SINK

Includes stainless steel sink fitted on worktop, mixer and waste basket.
Measuring W50 x D50 x H86.5 cm / 0.35m3 / 39kg



MO012

MODULO CON LAVELLO INOX

Con lavello inox a filo piano, rubinetto miscelatore con elettrovalvola e portarifiuti.
Dimensioni: L50xP50xH86,5 cm - m3 0,35 - kg 39

CUPBOARD WITH FITTED STAINLESS STEEL SINK

Includes stainless steel sink integrated into worktop, electric foot-switch + mixer and waste basket.
Measuring W50 x D50 x H86.5 cm / 0.35m3 / 39kg



MO013

MODULO ANGOLARE CON ANTINA

Antina da 660mm e cestelli girevoli.
Dimensioni: L50/76,5xP50/76,5xH86,5 cm - m3 0,80 - kg 50

CORNER CUPBOARD WITH SMALL DOOR

660mm door and rotating baskets. Measuring: W50/76.5 x D50 x H86.5 cm / 0.80m3 / 50kg



MO014

MODULO ANGOLARE CON ANTINA E LAVELLO INOX

Lavello inox sopra piano, rubinetto miscelatore e portarifiuti, più lavello.
Dimensioni: L50/73,5xP50/73,5xH86,5 cm - m3 0,80 - kg 55

CORNER CUPBOARD WITH SMALL DOOR AND STAINLESS STEEL SINK

Includes stainless steel sink fitted on worktop, mixer and waste basket. Measuring W50/73.5 x D50/73.5 x H86.5 cm / 0.80m3 / 55kg



MO015

MODULO ANGOLARE CON ANTINA E LAVELLO INOX

Lavello inox a filo piano, rubinetto miscelatore con elettrovalvola e portarifiuti, più lavello.
Dimensioni: L50/76,5xP50/76,5xH86,5 cm - m3 0,80 - kg 55

CORNER CUPBOARD WITH SMALL DOOR AND STAINLESS STEEL SINK

Includes stainless steel sink integrated into worktop, electric foot-switch + mixer and waste basket. Measuring W50/76.5 x D50/76.5 x H86.5 cm / 0.80m3 / 55kg



35

ARREDI FURNITURE

TUTTI I MOBILI SONO IN ACCIAIO VERNICIATO IN EPOSSIDICO, COMPLETI DI TOP E CASSETTI H 60cm. È COMPRESO IL VASSOIO IN PLASTICA.
ALL FURNITURE IS MADE OF EPOXY-COATED METAL AND INCLUDE TOPS AND DRAWS (60CM HEIGHT). PLASTIC TRAY INCLUDED



MO016

MODULO ANGOLARE CON LAVELLO

Lavello sopra piano, rubinetto miscelatore e portarifiuti.
Dimensioni: L50/76,5xP50/76,5xH86,5 cm - m3 0,80 - kg 55

CORNER CUPBOARD WITH SINK

Includes sink fitted on worktop, mixer and waste basket. Measuring W50/76.5 x D50/76.5 x H86.5 cm / 0.80m3 / 55kg



MO017

MODULO CON LAVELLO SMALTATO

Lavello smaltato a filo piano, rubinetto miscelatore con elettrovalvola e portarifiuti.
Dimensioni: L50/76,5xP50/76,5xH86,5 cm - m3 0,80 - kg 55

CUPBOARD WITH ENAMEL SINK

Includes enamel sink integrated into worktop, electric foot-switch + mixer and waste basket. Measuring W50/76.5 x D50/76.5 x H86.5 cm / 0.80m3 / 55kg



COMPOSIZIONE AD ANGOLO

Con vasca pre-chirurgica
CORNER MODULE
With pre-op tub

ARREDI FURNITURE

36



SGA001

SGABELLO

Sgabello su ruote completo di schienale regolabile e pompa a gas. L'imbottitura è in poliuretano espanso rivestito in sky. Completo di base cromata a 5 razze. Colori di serie come da ns. campionario. Dimensioni L48xP48xH60/85 cm

STOOL

Stool on wheels including adjustable backrest and gas-lift mechanism. Expanded polyurethane padding upholstered in "sky" fabric. Includes chrome five-spoke-base. Standard colours as per sample sheet. Measuring W48 x D48 x H60/85 cm



SGA002

SGABELLO

Ergonomic in plexiglas trasparente con poggiatesta. Pompa a gas cromata e base a cinque razze. Dim.:L48xP48xH62/87 cm

STOOL

Ergonomic stool made of transparent perspex with footrest. Gas-lift mechanism and chrome five-spoke-base. Measuring: W48 x D48 x H62/87 cm



SGA003

SGABELLO

Sgabello regolabile completo di pompa a gas nera e base in nylon nero. Colori di serie come da ns. campionario. Dimensioni L57xP57xH40/53 cm

STOOL

Height-adjustable stool including gas-lift mechanism. Black with black nylon base. Standard colours as per sample sheet. Measuring W57 x D57 x H40/53 cm



SGA004

SGABELLO

Sgabello regolabile completo di pompa a gas nera e base in nylon nero. Colori di serie come da ns. campionario. Con schienale. Dimensioni L57xP57xH40/53 cm

STOOL

Height-adjustable stool including gas-lift mechanism. Black with black nylon base. Standard colours as per sample sheet. With backrest. Measuring W57 x D57 x H40/53 cm

37



COMP01

COMPOSIZIONE SOFY

Dim: Lsin226,5xLdx176,5xP50xH86,5 cm



COMP02

COMPOSIZIONE ERIKA

Dim: Lsin1766,5xLdx236,5xP50xH86,5 cm

38





ARTICOLI PER TOELETTATURA

VAPET001



VASCA ELECTRIC GIADA INOX

Con portellone frontale per facilitare la salita di cani di grossa taglia. Realizzata in acciaio inox 304 con finitura S/B. La vasca è dotata di scarico con doppio filtro per la raccolta dei peli. Predisposta per il fissaggio a muro, dotata di piedini livellatori regolabili in altezza. Dimensioni L146xP65,5xH34/100cm. Profondità vasca 38 cm. Posizionamento scarico da DX verso SX 45 cm.

"GIADA INOX" ELECTRIC TUB

With front ramp easing access for large dogs. Made of Type 304 stainless steel with S/B finishing. The tub includes a double-filter drain to trap hair. Ready for wall mounting, includes height-adjustable feet. Measuring W146 x D65.5 x H34/100 cm. Bath tub depth: 38cm. Drain positioning from R to L: 45cm.

VAPET002



VASCA ELECTRIC GIADA WHITE

Con portellone frontale per facilitare la salita di cani di grossa taglia. Realizzata in acciaio inox 304 con finitura S/B. La vasca è dotata di scarico con doppio filtro per la raccolta dei peli. Predisposta per il fissaggio a muro, dotata di piedini livellatori regolabili in altezza. Dimensioni L146xP65,5xH34/100cm. Profondità vasca 38 cm. Posizionamento scarico da DX verso SX 45 cm.

"GIADA WHITE" ELECTRIC TUB

With front ramp easing access for large dogs. Made of Type 304 stainless steel with S/B finishing. The tub includes a double-filter drain to trap hair. Ready for wall mounting, includes height-adjustable feet. Measuring W146 x D65.5 x H34/100 cm. Bath tub depth: 38cm. Drain positioning from R to L: 45cm.

VASCA PROFESSIONALE mod. GIADA ASPIR

Giada Aspir è dotata di aspiratore professionale che permette di ridurre i tempi di asciugatura.

E non avere ulteriori ingombri dentro al salone di toelettatura grazie al suo inserimento nell'apposito armadio posizionato sotto la vasca. La vasca ha inoltre un utile portellone frontale apribile totalmente per facilitarne la salita per cani di grossa taglia. Realizzata in acciaio inox 304 con finitura S/B.

La vasca è dotata di scarico con doppio filtro per la raccolta dei peli. Predisposta per il fissaggio a muro e dotata di piedini livellatori regolabili in altezza.

Dimensioni L146xP65,5xH92/54 cm. Profondità vasca 38 cm.

Posizionamento scarico da DX verso SX 45 cm

"GIADA ASPIR" PRO TUB

Fitted with professional extractor to save drying time. Inclusive of low-fitted grooming cupboard to save salon space. With front ramp easing access for large dogs. Made of Type 304 stainless steel with S/B finishing. The tub includes a double-filter drain to trap hair. Ready for wall mounting, includes height-adjustable feet. Measuring W146 x D65.5 x H92/54 cm. Bath tub depth: 38cm.

Drain positioning from R to L: 45cm



VAPET004

VASCA PROFESSIONALE + SPORTELLI mod. GIADA

Con portellone frontale per facilitare la salita di cani di grossa taglia. Inoltre è dotata di un comodo armadietto a due ante. Realizzata in acciaio inox 304 con finitura S/B.

La vasca è dotata di scarico con doppio filtro per la raccolta dei peli. Predisposta per il fissaggio a muro e dotata di piedini livellatori regolabili in altezza.

Dimensioni L146xP65,5xH92/54 cm

Profondità vasca 38 cm.

Posizionamento scarico da DX verso SX 45 cm

"GIADA" PRO TUB + CUPBOARD

With front ramp easing access for large dogs and handy twin-door cupboard. Made of Type 304 stainless steel with S/B finishing. Includes a double-filter drain to trap hair.

Ready for wall mounting, includes height-adjustable feet. Measuring W146 x D65.5 x H92/54 cm. Bath tub depth: 38cm.

Drain positioning from R to L: 45cm



43

VASCA PROFESSIONALE mod. GIADA

Con portellone frontale per facilitare la salita di cani di grossa taglia.

In acciaio inox 304 con finitura S/B. Dotata di scarico con doppio filtro per la raccolta dei peli. Predisposta per il fissaggio a muro, piedini livellatori regolabili in altezza. L146xP65,5xH92/54 cm - Profondità vasca 38 cm

Posizionamento scarico da DX verso SX 45 cm



VAPET005

"GIADA" PRO TUB

With front ramp easing access for large dogs. Made of Type 304 stainless steel with S/B finishing. The tub includes a double-filter drain to trap hair. Ready for wall mounting, includes height-adjustable feet. W146 x D65.5 x H92/54 cm

Bath tub depth: 38cm.

Drain positioning from R to L: 45cm



OPTIONAL MENSOLA ANTISCIVOLO per vasca mod. GIADA

Mensola in multistrato rivestito in gomma, con supporti inox Prof.50 cm

OPTIONAL NON-SLIP SHELF

For "Giada" model tubs. Shelf made of rubber-coated multiplex. Includes stainless steel brackets. Depth: 50cm

VASCA PROFESSIONALE mod. DREAM


Vasca con sportello frontale. Caratteristiche come art. VAPET005.

Dimensioni: L90 x P65,5 x H92/54 cm - Profondità vasca 38 cm

"DREAM" PRO TUB

Tub with front ramp. Same features as VAPET005.

W90 x D65.5 x H92/54 cm. Bath tub depth: 38cm.



LAVPET01

LAVELLO

Struttura conica in acciaio inox con finitura lucida. Lavabo integrato diametro 37,5 cm
Dimensioni:
L37,5xP37,5xH46,5 cm

WASH BASIN

Conical frame in polished stainless steel. Fitted 37.5cm diameter wash basin.
Measuring: W37.5 x D37 x H46.5

44

VASCA

mod. DREAM/SPA

Vasca professionale in acciaio inox.
L90xP65,5xH92/54 cm
Profondità vasca 38 cm

"DREAM/SPA" PRO TUB

Professional pro tub made in stainless steel.
W90 x D65,5 x H92/54 cm.
Bath tub depth: 38cm.



VAPET006B

VAPET007



VASCA PROFESSIONALE

mod. SPA

Realizzata in acciaio inox 304, ideale per bagni medici
Dim: L95xP65xH92 cm
Profondità vasca 45 cm

"SPA" PRO TUB

Made of Type 304 stainless steel.
Ideal for medicated baths.
Measuring: W95 x D65 x H92 cm.
Bath tub depth: 45cm.

45

SPA SYSTEM IDRO E OZONO DOGS

Sistema idromassaggio programmabile a varie funzioni, regolatore del flusso d'aria con tre diverse velocità e regolazione dei minuti dell'idromassaggio. Il nostro sistema offre anche la possibilità di riscaldare l'acqua e renderne la temperatura costante per tutta la durata del bagno.

Attivando la funzione della terapia ozonizzata la nostra vasca diventa una vera e propria PSA DOGS poiché grazie all'hydro e ozono dosato in modo corretto per i nostri amici a quattro zampe fa in modo che il bagno diventi antisettico e rigenerante, grazie alle proprietà dell'ozono di eliminare virus, germi e batteri rendendolo un vero bagno medicale capace di debellare problemi legati alla cute.

Riscaldatore: è un'apposita resistenza elettrica, che consente al corpo motore di soffiare aria calda, evitando un rapido raffreddamento dell'acqua nella vasca in cui l'animale è immerso.

Con telecomando a distanza e tappetino antiscivolo.

WHIRPOOL SYSTEM

Whirlpool system programmable to various functions, the controller of the air flow with three different speeds and minute adjustment of the hydromassage.


Our system also offers the possibility of heating the water and make the temperature constant for the duration of the bath.

Activating the function of therapy ozonated our bath becomes a true PSA DOGS because thanks to the Hydro and ozone dosed correctly for our four-legged friends makes sure that the bathroom becomes antiseptic and regenerating,

thanks to the properties of 'ozone eliminates viruses, germs and bacteria making it a true bath medical able to eradicate problems related to skin.

Heater is a special electrical resistance, which allows the motor housing to blow hot air, avoiding rapid cooling of the water in the tub in which the animal is immersed.

With remote control and mat.



ACVA001

AL GOCCIOLATOIO SOLO SCHIENA

e di ottenere la massima igiene proteggendo il muro dagli schizzi o durante la toelettatura, e nello stesso tempo può essere a sui lati da mensola per asciugatura e miscelatore.

o in acciaio inox 304 con finitura S/B.

AL SHELVED BACKSPLASH

total hygiene and protects walls from splashes and hairs when grooming. laced aside ledge for drying and mixer.

Type 304 stainless steel with S/B finishing.



OPTIONAL GOCCIOLATOIO

Consente di ottenere la massima igiene proteggendo il muro dagli schizzi e dal pelo durante la toelettatura. Realizzato in acciaio inox 304 con finitura S/B.

OPTIONAL SHELVED BACKSPLASH

Allows for total hygiene and protects walls from splashes and hairs when grooming.

Made of Type 304 stainless steel with S/B finishing.

MI001



MISCELATORE CON SUPPORTO

Di facile posizionamento su un lato permette di avere un attacco elegante con miscelatore a doccetta. In acciaio inox 304 con finitura S/B.

MIXER WITH BASE

For easy side positioning allowing smart fixture, with mixer and shower.

Made of Type 304 stainless steel with S/B finishing.

SUP

SUPPORTO RIALZANTE PER CANI DI PICCOLA TAGLIA ELEVATED BAS FOR SMALL-SIZED DOG



46



LAV001

LAVELLO

Lavandino realizzato in acciaio inox 304. Dotato di erogatore con comando a pedale, con porta. Dimensioni:

L50xP40xH85 cm

WASH HAND BASIN
Wash hand basin made of Type 304 stainless steel.
Measuring: W50 x D40 x H85cm



LAV002

LAVELLO

Lavandino realizzato in acciaio inox 304. Dotato di erogatore con comando a ginocchio. Dimensioni:

L48xP33xH22 cm

alzatina H30 cm

WASH HAND BASIN
Wash hand basin made of Type 304 stainless steel.
Fitted with knee-operated tap.
Measuring W48 x D33 x H22 cm
backsplash: H30cm



LAV003

LAVELLO A COLONNA

Lavello a colonna sospeso in acciaio inox 304, erogazione con comando a ginocchio. Dimensioni:

L50xP40xH76 cm

COLUMN MOUNTED WASH HAND BASIN
Made of Type 304 stainless steel.
Fitted with knee-operated tap. Measuring W50 x D40 x H76cm

LAVELLO

Lavello sospeso, realizzato in acciaio inox 304, erogazione con comando a ginocchio. Dimensioni:

L50xP40xH23 cm

WALL-MOUNTED WASH HAND BASIN
Made of Type 304 stainless steel.
Fitted with knee-operated tap.
Measuring W50 x D40 x H23cm



47



GA001

GABBIA CONTENZIONE

Gabbia contenzione gatti a doppia apertura, realizzata in acciaio plastificato. Dimensioni:

L50xP32xH40 cm

CONSTRUCTION CAGE
Double sloping kennel, made of plastic-coated steel. Measuring: W50xP32xH40 cm

GABBIA BEAUTY
Gabbia di cattura ripieghevole a doppia apertura realizzata in acciaio zincato.

Dimensioni disponibili:

GA005/A L76 x P54 x H61

GA005/B L87 x P58 x H67

GA005/C L107 x P68 x H75

GA005/D L118 x P78 x H85

"BEAUTY" CAGE
Collapsible twin-opening trap cage made of galvanised steel.



GRIGLIATO PLASTIFICATO

Per animali domestici in rete stirata plastificata e maniglie di appoggio.

PLASTIC GRID FLOOR
Suitable for pets. Made of plastic coated sheet metal mesh. Fitted with support handles.

ACGA010 54 x 69 cm

ACGA011 57 x 69 cm

ACGA012 87 x 69 cm



GA005

48

GA017

**GABBIA DI ATTESA**

Realizzato in acciaio inox AISI 304, a 4 posti, con scarico posteriore.
Dim: L121 x P72 x H 143 cm

CAGE

Made of AISI 304 stainless steel, 4-seater, with rear discharge.
Measuring: L121 x P72 x H 143 cm

GA018



posteriore dotata di comodo mobile in acciaio verniciato con polveri epossidiche.
Dim. esterne L120xP72xH145

CAGE

Without drains, stainless steel 304, in the back with comfortable furniture in painted steel with epoxy.
External measuring: L120xP72xH145

GA019

GABBIE CAGES

49

TAVOLI TABLES

TAVOLO

Tavolo elettrico da toelettatura con movimento verticale azionato con pulsantiera a 2 comandi che permette di modificarne l'altezza, realizzato in acciaio verniciato in epossidico. Braccio in acciaio inox regolabile in altezza con apposita maniglia. Piano in legno rivestito in gomma con bordatura anti urto. Portata 100kg
Potenza 250W - Motore 24V - Dim: L120xP60xH max105-H min27 cm

LOW-LIFT TABLE

Electric grooming table with vertical movement controlled by means of a switchboard with two buttons. Made of epoxy-coated steel. Height-adjustable stainless steel arm with apposite handle. Rubber-coated wooden base with shockproof edges.
Maximum load: 100kg. Power: 250W.
Motor: 24V. Measuring: W120 x D60 x H max105-min27 cm



TAVPET001

TAVPET002

**TAVOLO INOX MOD. GIOVE**

Tavolo elettrico da toelettatura con movimento verticale azionato con pulsantiera a due comandi che permette di modificarne l'altezza, in acciaio inox 304. Braccio in acciaio inox regolabile in altezza con apposita maniglia. Piano in melaminico rivestito in gomma con bordatura anti urto. Portata 100kg - Potenza 250W Motore 24V L120xP60xH max105-H min27 cm

"GIOVE" STAINLESS STEEL LOW-LIFT TABLE

Electric grooming table with vertical movement controlled by means of a switchboard with two buttons. Made of Type 304 stainless steel. Height-adjustable stainless steel arm with apposite handle. Rubber-coated melamine base with shockproof edges. Maximum load: 100kg. Power: 250W. Motor: 24V. W120 x D60 x H max105-min27 cm

TAVPET003



TAVOLO INOX SU RUOTE
"GIOVE" LOW-LIFT TABLE ON WHEELS

50

TAV022

**TAVOLO DA VISITA A RIBALTA**

Realizzato in acciaio inox AISI 304, ripiegabile completamente per ridurre l'ingombro nella sala visita.

Dimensioni: L98xP60xH3 cm

FOLD-DOWN CONSULTATION TABLE

Made of AISI 304 Stainless Steel, folds all the way to maximise clinic space. Measuring W95 x D60 x H3cm

ACC010

**TAPPETO ANTISCIVOLO**

Trasparente ideale per tavoli visita e operatori, realizzato in silicio medicale antiaderente su tutte le superfici, disinfettabile.

SLIP RESISTANT MAT

Transparent. Ideal for consultation and surgery tables. Made of surgical non-stick silicon. Disinfectable.

TAVPET004

**TAVOLO
SU RUOTE**
TABLE ON
WHEELS



TAVPET005

**HYDRAULIC PET**

Tavolo con movimento azionato da una pompa idraulica, realizzato in acciaio con verniciatura a polvere epossidica.

Piano in legno rivestito in gomma antiscivolo. Il braccio per legare il cane è realizzato in acciaio inox regolabile in altezza. Portata kg 100. Dim. L120xP60xH75/95 cm

HYDRAULIC PET

Table with lift controlled by means of a hydraulic pump. Made of epoxy-coated steel. Slip resistant Rubber-coated wooden base. The arm used for securing dogs is made of stainless steel and is height-adjustable. Maximum load: 100kg. W120 x D60 x H max95-min75 cm

51

TAVPET007

**TAVOLO DA VISITA
MOD. DAIRET1**

Professionale per toelettatura solleva gas regolabile in altezza a mezzo pedale. Piano diametro 60cm.

**"DAIRET1"
CONSULTATION TABLE**

For professional grooming, with gas-lift mechanism controlled by means of a pedal. Top diameter: 60cm

TAVPET008

**TAVOLO DA VISITA
MOD. DAIRET2**

Professionale per toelettatura solleva gas regolabile in altezza manuale. Piano diametro 60cm.

**"DAIRET2"
CONSULTATION TABLE**

For professional grooming, with gas-lift mechanism controlled by means of a handle. Top diameter: 60cm

TAVPET006

**TAVOLO ESPOSITORE**

Tavolo da toelettatura pieghevole ideale per avere un supporto di lavoro anche in viaggio in occasione delle vostre dimostrazioni professionali.

Il tavolo espositore una volta chiuso grazie all'ausilio di ruote può diventare un utile carrello. Dimensioni L90xP60xH75 cm

DEMO TABLE

Collapsible grooming table ideal as a multi-purpose worktop when travelling for professional live demos. Once folded, the table is easily used as a wheel cart or carrier. Measuring W90 x D60 x H75cm

52

TAVOLO TOELETTATURA

Tavolo toelettatura con piano rivestito in gomma antiscivolo e braccio per legare il cane, la parte sottostante è dotata di alloggio per ospite in attesa; realizzata in acciaio inox 304 è dotata di carrello su ruote frenanti. Dimensioni: L120xP75xH86 cm



GROOMING TABLE

Grooming table with top covered in rubber and arm to tie the dog, the part below, has accommodation for guests waiting; made of stainless steel 304 is equipped with a cart on wheels with brakes. Measuring: L120xP75xH86 cm

TAVOLO TOELETTATURA STRONG

Per cani di grossa taglia, realizzato in acciaio inox aisi 304 con piano rivestito con gomma antiscivolo, sollevamento idraulico. Dimensioni



53

BARELLE STRETCHERS

BARELLA ANTIDECUBITO

Barella antidecubito realizzata con telo microforato con memoria elastica, classe di reazione al fuoco 1, trattamento fungistatico. Dimensioni: L100xP70xH40 cm

ANTI-DECUBITUS STRETCHER

Anti-decubitus stretcher made of microperforated fabric with elastic memory foam, Class 1 fire resistant, fungistatic treatment. Measuring W100 x D70 x H40cm



BAR002

54



SGA001

SGABELLO

Sgabello su ruote completo di schienale regolabile e pompa a gas. L'imbottitura è in poliuretano espanso rivestito in sky. Completo di base cromata a 5 razze. Colori di serie come da nostro campionario. Dimensioni L48xP48xH60/85 cm

STOOL

Stool on wheels including adjustable backrest and gas-lift mechanism. Expanded polyurethane padding upholstered in "sky" fabric. Includes chrome five-spoke-base. Standard colours as per sample sheet. Measuring W48 x D48 x H60/85 cm



SGA002

SGABELLO

Ergonomic in plexiglas trasparente con poggiatesta. Pompa a gas cromata e base a cinque razze. Dim.: L48xP48xH62/87 cm

STOOL

Ergonomic stool made of transparent perspex with footrest. Gas-lift mechanism and chrome five-spoke-base. Measuring: W48xD48xH62/87cm



SGA003

SGABELLO

Sgabello regolabile completo di pompa a gas nera e base in nylon nero. Colori di serie come da ns. campionario. Dimensioni L57xP57xH40/53 cm

STOOL

Height-adjustable stool including gas-lift mechanism. Black with black nylon base. Standard colours as per sample sheet. Measuring W57 x D57 x H40/53 cm



SGA004

SGABELLO MOD.003

Con schienale

MODEL 003 STOOL


With backrest

SGABELLI STOOLS



CARICO ESTERNO
e velocità realizzata in
i lavanti, potenza aspirante
ni: L90 cm

N HOOD
hood made of Type 304
e filters, suction pour
: 90cm



CAP002

CAPPA FENDY AI CARBONI ATTIVI
cappa aspirante a tre velocità in acciaio
inox 304, filtri lavanti, potenza aspirante
420 m³/h. Dimensioni: L90 cm

"FENDY" ACTIVATED CARBON HOOD
Three-speed extraction hood made of
Type 304 stainless steel, washable filters,
suction pour 420m³ per hour. Width: 90cm



59

CAPPE HOODS

PHON PHON



PHO001

PHON PROFESSIONAL

Indispensabile per chi vuol
ottenere un'asciugatura cor
in breve tempo. Il phon è d
di interruttore anti panico,
ha due regolazioni di pote
Potenza assorbita max
1680 W - 49,9 dB
Tensione 220/230 V
Peso 10 Kg circa

PROFESSIONAL HAIR-DRYER

A must for fast and
complete drying. Comprises
switch and two power setting
Maximum power: 1680W - 49
Voltage: 220-230V
Weight: approx 10 kg



PHO002

PHON GINGER HAIR

Funziona a 2350W,
regolatore del flusso d'aria
e calore, con timer per la
programmazione del tempo
di asciugatura.
Particolarmente silenzioso,
disponibile su ruote o con
braccio a muro.

"GINGER" HAIR-DRYER

Works on 2350W, with settings
for air pressure and hear, with a
timer to programme during time.
Remarkably silent, available on
wheels or wall mounted

PHO003

PHON GINGER HAIR

Con attacco a muro
"GINGER" HAIR-DRYER
With wall attachment.

ASP001

AS
E' t
Asp
Ou
lav
1 M
Caj
Acc
"TC
Pra
Suc
The
pol
Wit
Act
25L
Wa



SOF001



SOFFIATORE TURBO

Funzionante con due motori, 2500W.
Realizzato in acciaio inox AISI 304.
Con variatore di potenza.
Dopo pochi minuti dall'accensione l'aria diventa più calda, questo calore è dato dalla compressione dei motori che girando producono calore, quindi non avendo resistenze riesce ad avere consumi ridotti. Tensione 230 V
Peso 10 Kg circa - Dimensioni L60xP21xH30 cm

"TURBO" BLOWER

Twin-motor power at 2500W.
Made of Type 304 stainless steel.
With variable power settings.
A few minutes after switching on, air heating is directly sourced from the motors' latent heat, thus keeping consumption to a minimum. Voltage: 230V.
Weight approx. 10kg. Measuring W60 x D31 x H30cm

SOFFIATORE TURBO SEMPLICE

Realizzato in acciaio verniciato in epossidico, funzionante con due motori, 2500W
Interruttore ON/OFF. Dopo pochi minuti dall'accensione l'aria diventa più calda grazie alla compressione dei motori che girando producono calore, quindi non avendo resistenze riesce ad avere consumi ridotti.
Tensione 230 V - Peso 10 Kg circa.
Dimensioni: L60xP21xH30 cm

"SIMPLE TURBO" BLOWER

Twin-motor power at 2500W.
Made of epoxy-coated steel.
On/Off switch. A few minutes after switching on, air heating is directly sourced from the motors' latent heat, thus keeping consumption to a minimum.
Voltage: 230V. Weight approx. 10kg.
Measuring W60 x D31 x H30cm



SOF002

SOF003



SOFFIATORE/PHON YORK SYSTEM

Realizzato in acciaio verniciato in epossidico, funzionante con un motore 2400W Interruttore ON/OFF, variatore di flusso d'aria e interruttore per attivare la resistenza, grazie alle sue varie prestazioni può essere utilizzato anche in sostituzione del phon. Tensione 230 V - Peso 7 Kg circa
Dimensioni L32xP18xH20 cm

"YORK SYSTEM" BLOWER/HAIR-DRYER

Made of epoxy-coated steel. Powered by a 2400W motor. On/Off switch. Variable power settings and variable resistance switch. Versatile use as either blower or hair-dryer. Voltage: 230V Weight: approx. 7kg. Measuring W32 x D18 x H20cm.

STATIVO
PER SOFFIATORI
STAND FOR
BLOWERS

STA001



SOFFIATORI BLOWERS

PETTINI COMBS



65

ACCESSORI ACCESSORIES



66

TESTINE OSTER COMPATIBILI CON AESCULAP PER FAVORITA 5 ED HEINIGER

"OSTER" HEADS COMPATIBLE WITH AESCULAP
FOR "FAVORITA 5" AND "HEINIGER"



- TES001** Size 50
- TES002** Size 40
- TES003** Size 30
- TES004** Size 15
- TES005** Size 10
- TES006** Size 8 1/2
- TES007** Size 7F
- TES008** Size 7
- TES009** Size 5F
- TES010** Size 5
- TES011** Size 4F
- TES012** Size 4

- TES013** Size 3
- TES014** Size 5/8
- TES015** Size 7/8
- TES016** Size 2 mm
- TES017** Size 3 mm
- TES018** Size 6 mm
- TES019** Size 13 mm
- TES020** Size 18 mm
- TES021** Size 25 mm
- TES022** Size 32 mm
- TES023**

Size 3F



TOS001

TOSATORE OSTER
2 velocità
"OSTER" SHEARER
2-speed

TOS002

TOSATRICE AESCULAP FAVORITA 5

Per professionisti, motore potente e silenzioso 35W. Confezione completa di testina, olio lubrificante, pennello per pulizia e manuale di istruzione.

"AESCULAP FAVORITA 5" SHEARER
For professionals, powerful and silent 35W motor. Compatible with OSTER and MOSER heads. Package includes head, lubricant, cleaning brush and user manual.

TOSATRICI CLIPPERS

67

TOSATRICI CLIPPERS

TOSATORE HEINIGER

Tosatrice potente per professionisti, motore potente e silenzioso 35W. Compatibile con testine Oster, Andis, Moser. Confezione completa di testina, olio lubrificante, pennello per pulizia, e manuale di istruzione.

"HEINIGER" SHEARER

Powerful clipper for professionals, powerful and silent 35W motor. Compatible with OSTER, ANDIS and MOSER heads. Package includes head, lubricant, cleaning brush and user manual.



TOS003

TOS004

TOSATORE OSTER 3 VELOCITA'

Per professionisti, motore potente e silenzioso 35W. Confezione completa di testina, olio lubrificante, pennello per pulizia e manuale di istruzione.

"OSTER" 3-SPEED SHEARER

Powerful clipper for professionals, powerful and silent 35W motor. Compatible with OSTER, ANDIS and MOSER heads. Package includes head, lubricant, cleaning brush and user manual.



68



FOR001

CHOCOLATE 40
40 denti cm 13
CHOCOLATE 40
40 teeth, 13 cm



FOR002

CHOCOLATE 14
cm 14
CHOCOLATE 14
14 cm



FOR003

CANDY 40
40 denti cm 13
CANDY
40 teeth, 13 cm



FOR004

CANDY
cm 14
CANDY
14 cm

69



FOR005

LAGUNA
cm 14
LAGUNA
14 cm



FOR006

LAGUNA 40
40 denti, cm 14
LAGUNA 40
40 teeth, 13 cm



FOR007

VIOLA
cm 14
VIOLA
14 cm



FOR008

VIOLA 40
40 denti, cm 13
VIOLA 40
40 teeth, 13 cm

70



FOR009

PASTEL 40

40 denti cm 13

PASTEL 40

40 teeth, 13 cm

FOR010

PASTEL 14

cm 14

PASTEL 14

14 cm

FOR011

BLACK

cm 14

BLACK

14 cm

FOR012

BLACK 40

40 denti cm 13

BLACK 40

40 teeth, 13 cm

71



FOR013

FORBICE OCEANO

In acciaio inox, design Offset del manico per una posizione ergonomica e lavoro rilassato, cm 15

"OCEAN" SCISSORS

Made of stainless steel, offset handle design for ergonomic positioning and comfortable handling. 15cm

FOR014

FORBICE OCEANO 32

In acciaio inox, 32 denti per sfoltire con merlettatura a V per un taglio morbido e preciso. cm 15,5

"OCEAN 32" SCISSORS

Made of stainless steel, 32 teeth for precise texturing and V-cut thinning. 15.5cm

FOR015

FORBICE STILE

In acciaio inox lucido, design Offset del manico per una posizione ergonomica e lavoro rilassato, cm 15,5

"STYLE" SCISSORS

Made of polished stainless steel, offset handle design for ergonomic positioning and comfortable handling. 15.5cm

FOR016

FORBICE STILE 28

In acciaio inox lucido, 28 denti microdentati, design Offset del manico per una posizione ergonomica e lavoro rilassato, cm 14

"STYLE 28" SCISSORS

Made of polished stainless steel, 28 micro-teeth, offset handle design for ergonomic positioning and comfortable handling. 14cm

72



FORBICE DIAMANTE

In acciaio inox, design Offset del manico per una posizione ergonomica e lavoro rilassato, l'anello inclinato per il pollice permette una posizione di lavoro corretta confortevole senza punti di attrito, cm 14

"DIAMOND" SCISSORS

Made of stainless steel, offset handle design for ergonomic positioning and comfortable handling. The inclined positioning of the thumb-handle allows for precise, comfortable and frictionless handling, 14cm

FOR017



FOR018

FORBICE FUSION

Rivestita in ceramica nera, resistente all'usura. Taglio super soave, estrema durata nell'affilatura. Design Offset del manico per una posizione ergonomica e lavoro rilassato, l'anello inclinato per il pollice permette una posizione di lavoro corretta confortevole senza punti di attrito, cm 14

"FUSION" SCISSORS

Coated in black ceramic, hard-wearing. Very comfortable to use and extremely hard-wearing blade. Offset handle design for ergonomic positioning and comfortable handling. The inclined positioning of the thumb-handle allows for precise, comfortable and frictionless handling, 14cm

73



FOR019

FORBICE DIAMANTE 39

In acciaio inox, 39 denti per sfoltire con merlettatura a V per una sensazione piacevole morbida ed un taglio preciso, cm 14

"DIAMOND 39" SCISSORS

Made of stainless steel, 32 teeth for precise texturizing and V-cut thinning with a soft and pleasant effect, 14cm

FORBICI SCISSORS

FORBICI SCISSORS



FOR020

FORBICE CHIC 28
Design inconfondibile, 28 denti protetta da allergie da nickel, cm 14

"CHIC 28" SCISSORS
Unique design. 28 teeth, anti-allergenic (nickel free). 14cm



FOR021

FORBICE CHIC
Design inconfondibile, protetta da allergie da nickel, cm 14

"CHIC" SCISSORS
Unique design. Anti-allergenic (nickel free). 14cm



FOR022

FORBICINE

Forbicine in acciaio inox con punta stondata, cm 12

SMALL SCISSORS

Made of stainless steel with rounded blade edges. 12cm



PIN001

PINZETTE

cm 9,5

TWEEZERS
9.5 cm

74



LEDY

FOR023



STAR

FOR024



PINK

FOR025



FLOWER

FOR026

FORBICI SCISSORS

75

FORBICI SCISSORS



SAFARI

FOR027



FOR028

GREEN



FOR029

BROCHER



DOL

FOR030

76



FOR031

FORBICE SFOLTITRICE

Forbice in acciaio inox per sfoltire, lama singola, 30 denti ricurvi, finitura lucida, cm 17

THINNING SCISSORS

Stainless steel thinning scissors, single blade. 30 curved teeth, polished finish, 17cm



FOR032

FORBICE SFOLTITRICE

Forbice in acciaio inox per sfoltire, 2 lame, 30 denti, finitura lucida, cm 17

THINNING SCISSORS

Stainless steel thinning scissors, two blades. 30 teeth, polished finish, 17cm



FOR033

FORBICE

Forbice in acciaio inox con lama da taglio a rasoio, finitura lucida, cm 19

SCISSORS

Stainless steel scissors with blade for razor-cut effect, polished finish. 19cm

FORBICI SCISSORS

77

ARREDI FURNITURE



Carrello con struttura portante in legno, completo di piano superiore a cinque cassetti estraibili realizzati in materiale plastico. E' dotato di porta accessori e supporto laterale porta cassetti.

Dimensioni L36xP47xH88 cm

TROLLEY

Trolley with wooden frame, complete with five removable upper plastic drawers. Includes accessory holder and lateral support shelving.

Measuring: W36 x D47 x H88cm

CARRELLO
Carrello pratico ed elegante il carrello per toelettatura è realizzato con una struttura in metallo cromato e rotelle in gomma. I piani sono realizzati in nobilitato. Versione con cassetto. Dimensioni L60xP40xH85 cm

TROLLEY

Smart and practical grooming trolley made of a chromed metal frame, rubber wheels and laminate shelving. Version with drawer

CARPET003



CARRELLO PORTARIVISTE

Carrello portariviste a tre tasche nella cui struttura è alloggiata una maniglia che ne facilita la presa per il design e il glamour dei colori proposti, si presta a valorizzare ogni tipo di arredamento. Telaio cromato. Tasche portariviste in plexiglass.

Colori: Arancione - satinato. Dim. L40xP40xH45 cm.

MAGAZINE RACK-TROLLEY

With three pockets inclusive of designer handle. Matches any decor style. Chromed frame. Magazine pockets made of plexiglass.

Orange coloured, satin finish. Measuring: W40 x D40 x H45 cm



78

**COMPOSIZIONE
AD ANGOLO**
Con vasca
pre-chirurgica
CORNER MODULE
With pre-op tub



RAL 9001	RAL 3002
RAL 9002	RAL 3003
RAL 9003	RAL 3004
RAL 7002 G	RAL 3007
RAL 7005	RAL 4008
GAT 11477	RAL 4009
RAL 1010	GAT 25520
RAL 1002	RAL 5014
RAL 1017	RAL 5015
RAL 2002	RAL 5013
RAL 2012	RAL 5016
RAL 6016	RAL 9014
RAL 9008	RAL 7022
GAT 20242	NERO LUCIDO
RAL 9027	NERO METALLIZZATO
RAL 1015	RAL 9006
	HC2100

ARREDI FURNITURE

83

ARREDI FURNITURE



BC001

CASSA RECEPTION

Modello funzionale realizzato con cornice in legno e frontale in plexiglas retroilluminato al neon, completo di cassetto con chiave. Piedi in alluminio. Dimensioni L112xP65xH105 cm

RECEPTION DESK

Functional model with wooden frame, plexiglass panelling and neon back-lighting. Includes key-lock drawer. Aluminium feet. Measuring: W112 x D65 x H105cm

CASSA RECEPTION

Modello semplice e funzionale in laminato, frontale in legno curvato con cassetto e chiave. Dimensioni L110xP50xH106 cm

RECEPTION DESK

Simple and functional model made of laminate, with curved wooden panelling and key-lock drawer. Measuring: W110 x D50 x H106cm

BC002



CAMPIONARIO ESSENZE LEGNO



86



ARREDI FURNITURE

[illegible]



TRA001

TRASPORTINO
48x33xH32 cm
DOG CRATE
48x33xH32cm



GABBIA TRASPORTO CANI

In alluminio e rete zincata, sagomata davanti o non.
Dimensioni: L90xP55xH70 cm

TRAP CAGE

In galvanised aluminium mesh, with contoured frontal or not.

TRA004

Dim.: L90xP55xH70 cm

TRA005

Dim.: L88xP66xH80 cm

TRA006

Dim.: L55xP56xH96 cm

TRA002

TRASPORTINO
57x37xH35 cm
DOG CRATE
57x37xH35cm



TRA007

Dim.: L108xP77xH72 cm

TRA008

Dim.: L88xP68xH88 cm

TRA009

Dim.: L88xP60xH60 cm



OPTIONAL

CASSETTO PER GABBIA TRASPORTO

Con pianetto in pvc posizionabile su tutte le gabbie.

TRAY FOR TRAP CAGES

With PVC base fitting any cage.

BOX CANI E PENSIONI
KENNELS AND DOG SHELTERS

91



- BOX001** BOX CANI TUTTO COPERTO, TETTO DELTA COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
Dim: W200 x D200 x H210cm
- BOX002** BOX CANI TUTTO COPERTO AFFIANCATO, TETTO DELTA COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX003** BOX CANI TUTTO COPERTO, TETTO DELTA COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
Dim: W250 x D150 x H210cm
- BOX004** BOX CANI TUTTO COPERTO AFFIANCATO, TETTO DELTA COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX005** BOX CANI TUTTO COPERTO, TETTO COPPO COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
Dim: W200 x D200 x H210cm
- BOX006** BOX CANI TUTTO COPERTO AFFIANCATO, TETTO COPPO COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX007** BOX CANI TUTTO COPERTO, TETTO COPPO COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
Dim: W250 x D120 x H210cm
- BOX008** BOX CANI TUTTO COPERTO AFFIANCATO, TETTO COPPO COIBENTATO **FULLY-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX009** BOX CANI META' COPERTO, TETTO DELTA COIBENTATO **HALF-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING**
Dim: W200 x D200 x H210cm
- BOX010** BOX CANI META' COPERTO AFFIANCATO, TETTO DELTA COIBENTATO **HALF-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX011** BOX CANI META' COPERTO, TETTO DELTA COIBENTATO **HALF-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
Dim: W250 x D150 x H210cm
- BOX012** BOX CANI META' COPERTO AFFIANCATO, TETTO DELTA COIBENTATO **HALF-SHELTERED DOG KENNEL WITH DELTA INSULATED ROOFING.**
SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX013** BOX CANI META' COPERTO, TETTO COPPO COIBENTATO **HALF-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
Dim: W200 x D200 x H210cm
- BOX014** BOX CANI META' COPERTO AFFIANCATO, TETTO COPPO COIBENTATO **HALF-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX015** BOX CANI META' COPERTO, TETTO COPPO COIBENTATO **HALF-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING.**
Dim: W250 x D120 x H210cm

92

- BOX016 BOX CANI META' COPERTO AFFIANCATO, TETTO COPPO COIBENTATO HALF-SHELTERED DOG KENNEL WITH INSULATED TILED ROOFING. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX017 BOX CANI TUTTO COPERTO, TETTO DELTA TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. Dim: W200 x D200 x H210cm
- BOX018 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO DELTA TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX019 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO DELTA TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX020 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO DELTA TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX021 BOX CANI TUTTO COPERTO, TETTO COPPO TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY NETTED SLOPING ROOF. Dim: W200 x D200 x H210cm
- BOX022 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO COPPO TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY NETTED SLOPING ROOF. SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX023 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO COPPO TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY NETTED SLOPING ROOF. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX024 BOX CANI TUTTO COPERTO AFFIANCATO, TETTO COPPO TUTTA RETEFULLY-SHELTERED DOG KENNEL WITH FULLY NETTED SLOPING ROOF. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX025 BOX CANI META' COPERTO, TETTO DELTA TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. Dim: W200 x D200 x H210cm
- BOX026 BOX CANI META' COPERTO AFFIANCATO, TETTO DELTA TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX027 BOX CANI META' COPERTO, TETTO DELTA TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED DELTA ROOFING. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX028 BOX CANI META' COPERTO AFFIANCATO, TETTO COPPO TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED SLOPING ROOF. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX029 BOX CANI META' COPERTO, TETTO COPPO TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED SLOPING ROOF. Dim: W200 x D200 x H210cm
- BOX030 BOX CANI META' COPERTO AFFIANCATO, TETTO COPPO TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED SLOPING ROOF. SIDE-FITTING. Dim: W200 x D200 x H210cm
- BOX031 BOX CANI META' COPERTO, TETTO COPPO TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED SLOPING ROOF. Dim: W250 x D150 x H210cm
- BOX032 BOX CANI META' COPERTO AFFIANCATO, TETTO COPPO TUTTA RETE HALF-SHELTERED DOG KENNEL WITH FULLY-NETTED SLOPING ROOF. SIDE-FITTING. Dim: W250 x D150 x H210cm
- BOX033 ZONA NOTTE IN COIBENTATO CON GATTAIOLA, TETTO COPPO O DELTA INSULATED NIGHT SHELTER WITH CAT FLAP, SLOPING OR DELTA ROOF. Dim: W150 x D200 x H210cm
- BOX034 ZONA NOTTE IN COIBENTATO CON GATTAIOLA, TETTO COPPO O DELTA INSULATED NIGHT SHELTER WITH CAT FLAP, SLOPING OR DELTA ROOF. Dim: W150 x D150 x H210cm
- BOX035 MAGAZZINO IN COIBENTATO TETTO COPPO O DELTA INSULATED SHED WITH SLOPING OR DELTA ROOF. Dim: W150 x D200 x H210cm
- BOX036 MAGAZZINO IN COIBENTATO TETTO COPPO O DELTA INSULATED SHED WITH SLOPING OR DELTA ROOF. Dim: W150 x D150 x H210cm



CAS001

CASSA PER PARTO

Materiale coibentato, apertura a stecche di cm 10 per l'entrata.
Dim: L120xP100xH50 cm

DELIVERY CUBICLE

Insulated material. 10cm slat opening.
Dim: W 120 x D 100 x H 50cm





BARAMB001

BARELLA PER AMBULANZA "SOCCORSO DOG SYSTEM"

Studiata e ideata per tutti i mezzi di soccorso e unità cinofile che usufruiscono dell'ausilio di un soccorso con un amico a 4 zampe, garantisce sicurezza nel trasporto e versatilità di utilizzo; la barella con fori garantisce pulizia e igiene anche per lunghi viaggi; la vaschetta è estraibile per una facile pulizia. Realizzabile anche su misura. Dim. L110xP60xH82,4 cm

AMBULANCE STRETCHER "DOG RESCUE SYSTEM"

Studied and developed for any rescue vehicle used by K9 rescue teams. It guarantees safety and versatility. The perforated stretcher ensures hygiene and easy-cleaning even for long journeys, the base tray is removable for easy-cleaning. Can be made to measure. Dim. W110xD60xH82.4 cm

TRASPORTO CANI
DOGS TRANSPORTATION EQUIPMENTS



Orphanos Group HQ

Leontiou A' 183, Leontiou Center Block C 3020 Limassol – Cyprus

Tel: +357 25 877 240 Fax: +357 25 877 247

info@orphanosgroup.net

www.orphanosgroup.net